



Delta3D Version 2.4.0

dtInputSense::

Reference Manual

Contents

1	Main Page	1
2	Directory Documentation	3
2.1	inc/dtInputSense/ Directory Reference	3
2.2	src/dtInputSense/ Directory Reference	4
2.3	inc/ Directory Reference	5
2.4	src/ Directory Reference	6
3	Namespace Documentation	7
3.1	dtInputSense Namespace Reference	7
3.1.1	Detailed Description	7
4	Class Documentation	9
4.1	ISD_CAMERA_DATA_TYPE Struct Reference	9
4.1.1	Member Data Documentation	9
4.1.1.1	Camera	9
4.2	ISD_CAMERA_ENCODER_DATA_TYPE Struct Reference	10
4.2.1	Member Data Documentation	11
4.2.1.1	Aperture	11
4.2.1.2	ApertureEncoder	11
4.2.1.3	bReserved1	11
4.2.1.4	bReserved2	11
4.2.1.5	bReserved3	11
4.2.1.6	CovarianceOrientation	11
4.2.1.7	CovariancePosition	11
4.2.1.8	dwReserved1	11
4.2.1.9	dwReserved2	11
4.2.1.10	Focus	11
4.2.1.11	FocusEncoder	11
4.2.1.12	FOV	11
4.2.1.13	fReserved1	11
4.2.1.14	fReserved2	11
4.2.1.15	fReserved3	11
4.2.1.16	fReserved4	11
4.2.1.17	NodalPoint	11
4.2.1.18	Timecode	11
4.2.1.19	TimecodeUserBits	11
4.2.1.20	TrackingStatus	11

4.2.1.21	ZoomEncoder	11
4.3	ISD_HARDWARE_INFO_TYPE Struct Reference	12
4.3.1	Member Data Documentation	13
4.3.1.1	AuxSystem	13
4.3.1.2	BaudRate	13
4.3.1.3	bReserved1	13
4.3.1.4	bReserved2	13
4.3.1.5	bReserved3	13
4.3.1.6	bReserved4	13
4.3.1.7	Capability	13
4.3.1.8	Compass	13
4.3.1.9	CompassCal	13
4.3.1.10	ConfigLock	13
4.3.1.11	cReserved1	13
4.3.1.12	cReserved2	13
4.3.1.13	cReserved3	13
4.3.1.14	cReserved4	13
4.3.1.15	DiagData	13
4.3.1.16	dwReserved1	13
4.3.1.17	dwReserved2	13
4.3.1.18	dwReserved3	13
4.3.1.19	dwReserved4	13
4.3.1.20	Encoders	13
4.3.1.21	Enhancement	13
4.3.1.22	ErrorLog	13
4.3.1.23	FirmwareRev	13
4.3.1.24	fReserved1	13
4.3.1.25	fReserved2	13
4.3.1.26	fReserved3	13
4.3.1.27	fReserved4	13
4.3.1.28	Interface	13
4.3.1.29	MaxButtons	13
4.3.1.30	MaxChannels	13
4.3.1.31	MaxFPses	13
4.3.1.32	MaxImus	13
4.3.1.33	MaxStations	13
4.3.1.34	MeasData	13
4.3.1.35	ModelName	13
4.3.1.36	NumTestLevels	13
4.3.1.37	OnHost	13
4.3.1.38	Orientation	13

4.3.1.39	PhotoDiode	13
4.3.1.40	Port	13
4.3.1.41	Position	13
4.3.1.42	Prediction	13
4.3.1.43	PseConfig	13
4.3.1.44	SelfTest	13
4.3.1.45	TrackerModel	13
4.3.1.46	TrackerType	13
4.3.1.47	UltGain	13
4.3.1.48	UltMaxRange	13
4.3.1.49	UltTimeout	13
4.3.1.50	UltVolume	13
4.3.1.51	Valid	13
4.4	ISD_STATION_DATA_TYPE Struct Reference	15
4.4.1	Member Data Documentation	16
4.4.1.1	AccelBodyFrame	16
4.4.1.2	AccelNavFrame	16
4.4.1.3	AnalogData	16
4.4.1.4	AngularVelBodyFrame	16
4.4.1.5	AngularVelNavFrame	16
4.4.1.6	AngularVelRaw	16
4.4.1.7	AuxInputs	16
4.4.1.8	BatteryLevel	16
4.4.1.9	BatteryState	16
4.4.1.10	ButtonState	16
4.4.1.11	CommIntegrity	16
4.4.1.12	CompassYaw	16
4.4.1.13	Euler	16
4.4.1.14	NewData	16
4.4.1.15	Position	16
4.4.1.16	Quaternion	16
4.4.1.17	Reserved	16
4.4.1.18	StillTime	16
4.4.1.19	TimeStamp	16
4.4.1.20	TrackingStatus	16
4.4.1.21	VelocityNavFrame	16
4.5	ISD_STATION_HARDWARE_INFO_TYPE Struct Reference	17
4.5.1	Member Data Documentation	18
4.5.1.1	AuxInputs	18
4.5.1.2	AuxOutputs	18
4.5.1.3	bReserved1	18

4.5.1.4	bReserved2	18
4.5.1.5	bReserved3	18
4.5.1.6	bReserved4	18
4.5.1.7	CalDate	18
4.5.1.8	Capability	18
4.5.1.9	Compass	18
4.5.1.10	cReserved1	18
4.5.1.11	cReserved2	18
4.5.1.12	cReserved3	18
4.5.1.13	cReserved4	18
4.5.1.14	DescVersion	18
4.5.1.15	DeviceID	18
4.5.1.16	dwReserved1	18
4.5.1.17	dwReserved2	18
4.5.1.18	dwReserved3	18
4.5.1.19	dwReserved4	18
4.5.1.20	Encoders	18
4.5.1.21	FirmwareRev	18
4.5.1.22	fReserved1	18
4.5.1.23	fReserved2	18
4.5.1.24	fReserved3	18
4.5.1.25	fReserved4	18
4.5.1.26	ID	18
4.5.1.27	NumButtons	18
4.5.1.28	NumChannels	18
4.5.1.29	Orientation	18
4.5.1.30	Port	18
4.5.1.31	Position	18
4.5.1.32	SerialNum	18
4.5.1.33	Type	18
4.5.1.34	Valid	18
4.6	ISD_STATION_INFO_TYPE Struct Reference	19
4.6.1	Member Data Documentation	20
4.6.1.1	AccelSensitivity	20
4.6.1.2	AngleFormat	20
4.6.1.3	bReserved2	20
4.6.1.4	bReserved4	20
4.6.1.5	Compass	20
4.6.1.6	CompassCompensation	20
4.6.1.7	CoordFrame	20
4.6.1.8	dwReserved3	20

4.6.1.9	dwReserved4	20
4.6.1.10	Enhancement	20
4.6.1.11	fReserved4	20
4.6.1.12	GetAuxInputs	20
4.6.1.13	GetCameraData	20
4.6.1.14	GetCovarianceData	20
4.6.1.15	GetEncoderData	20
4.6.1.16	GetInputs	20
4.6.1.17	ID	20
4.6.1.18	ImuShockSuppression	20
4.6.1.19	InertiaCube	20
4.6.1.20	Prediction	20
4.6.1.21	Sensitivity	20
4.6.1.22	State	20
4.6.1.23	TimeStamped	20
4.6.1.24	TipOffset	20
4.6.1.25	UrmRejectionFactor	20
4.7	ISD_TRACKER_INFO_TYPE Struct Reference	21
4.7.1	Member Data Documentation	22
4.7.1.1	bReserved2	22
4.7.1.2	bReserved3	22
4.7.1.3	bReserved4	22
4.7.1.4	dwReserved4	22
4.7.1.5	FirmwareRev	22
4.7.1.6	fReserved2	22
4.7.1.7	fReserved3	22
4.7.1.8	fReserved4	22
4.7.1.9	Interface	22
4.7.1.10	KBitsPerSec	22
4.7.1.11	LedEnable	22
4.7.1.12	LibVersion	22
4.7.1.13	Port	22
4.7.1.14	RecordsPerSec	22
4.7.1.15	SyncPhase	22
4.7.1.16	SyncRate	22
4.7.1.17	SyncState	22
4.7.1.18	TrackerModel	22
4.7.1.19	TrackerType	22
4.7.1.20	UltTimeout	22
4.7.1.21	UltVolume	22
4.8	ISD_TRACKING_DATA_TYPE Struct Reference	23

4.8.1	Member Data Documentation	23
4.8.1.1	Station	23
4.9	Tracker Class Reference	24
4.9.1	Detailed Description	24
4.9.2	Member Function Documentation	24
4.9.2.1	CreateInstances	24
4.9.2.2	DestroyInstances	24
4.9.2.3	Poll	24
4.9.2.4	PollInstances	24
5	File Documentation	25
5.1	dlcompat.c File Reference	25
5.1.1	Define Documentation	26
5.1.1.1	ERR_STR_LEN	26
5.1.2	Function Documentation	26
5.1.2.1	dlclose	26
5.1.2.2	dlerror	26
5.1.2.3	dlopen	26
5.1.2.4	dlsym	26
5.1.2.5	dlsymIntern	26
5.1.2.6	error	26
5.2	dlcompat.h File Reference	27
5.2.1	Define Documentation	27
5.2.1.1	RTLD_GLOBAL	27
5.2.1.2	RTLD_LAZY	27
5.2.1.3	RTLD_LAZY_UNDEF	27
5.2.1.4	RTLD_LOCAL	27
5.2.1.5	RTLD_NODELETE	27
5.2.1.6	RTLD_NOLOAD	27
5.2.1.7	RTLD_NOW	27
5.2.1.8	RTLD_SHARED	27
5.2.1.9	RTLD_UNSHARED	27
5.2.2	Function Documentation	27
5.2.2.1	dlclose	27
5.2.2.2	dlerror	27
5.2.2.3	dlopen	27
5.2.2.4	dlsym	27
5.3	export.h File Reference	28
5.3.1	Define Documentation	28
5.3.1.1	DT_INPUT_ISENSE_EXPORT	28
5.4	isense.c File Reference	29

5.4.1	Define Documentation	32
5.4.1.1	ISD_LIB_NAME	32
5.4.2	Typedef Documentation	32
5.4.2.1	DLL	32
5.4.2.2	ISD_AUX_OUTPUT_FN	32
5.4.2.3	ISD_BORESIGHT_FN	32
5.4.2.4	ISD_BORESIGHT_REF_FN	32
5.4.2.5	ISD_CAMERA_DATA_FN	32
5.4.2.6	ISD_COMM_INFO_FN	32
5.4.2.7	ISD_COMMAND_FN	32
5.4.2.8	ISD_CONFIG_FILE_FN	32
5.4.2.9	ISD_COUNT_FN	32
5.4.2.10	ISD_DATA_FN	32
5.4.2.11	ISD_GET_HARDW_INFO_FN	32
5.4.2.12	ISD_GET_TIME	32
5.4.2.13	ISD_OPEN_ALL_FN	32
5.4.2.14	ISD_OPEN_FN	32
5.4.2.15	ISD_QRY_RBUFFER_FN	32
5.4.2.16	ISD_RBUFFER_FN	32
5.4.2.17	ISD_RESET_HEADING_FN	32
5.4.2.18	ISD_SCRIPT_FN	32
5.4.2.19	ISD_SET_RBUFFER_FN	32
5.4.2.20	ISD_STATION_CONFIG_FN	32
5.4.2.21	ISD_SYS_INFO_FN	32
5.4.2.22	ISD_SYSTEM_CONFIG_FN	32
5.4.2.23	ISD_UDP_BROADCAST_FN	32
5.4.3	Function Documentation	32
5.4.3.1	dll_entrypoint	32
5.4.3.2	dll_load	32
5.4.3.3	dll_unload	32
5.4.3.4	ISD_AuxOutput	32
5.4.3.5	ISD_Boresight	32
5.4.3.6	ISD_BoresightReferenced	32
5.4.3.7	ISD_CloseTracker	32
5.4.3.8	ISD_ConfigSave	32
5.4.3.9	ISD_ConfigureFromFile	32
5.4.3.10	ISD_FreeLib	32
5.4.3.11	ISD_GetCameraData	32
5.4.3.12	ISD_GetCommInfo	32
5.4.3.13	ISD_GetStationConfig	32
5.4.3.14	ISD_GetStationHardwareInfo	32

5.4.3.15	ISD_GetSystemHardwareInfo	32
5.4.3.16	ISD_GetTime	32
5.4.3.17	ISD_GetTrackerConfig	32
5.4.3.18	ISD_GetTrackingData	32
5.4.3.19	ISD_LoadLib	32
5.4.3.20	ISD_NumOpenTrackers	32
5.4.3.21	ISD_OpenAllTrackers	32
5.4.3.22	ISD_OpenTracker	32
5.4.3.23	ISD_ResetHeading	32
5.4.3.24	ISD_RingBufferQuery	32
5.4.3.25	ISD_RingBufferSetup	32
5.4.3.26	ISD_RingBufferStart	32
5.4.3.27	ISD_RingBufferStop	32
5.4.3.28	ISD_SendScript	32
5.4.3.29	ISD_SetStationConfig	32
5.4.3.30	ISD_SetTrackerConfig	32
5.4.3.31	ISD_UdpBroadcastData	32
5.4.4	Variable Documentation	32
5.4.4.1	_ISD_AuxOutput	32
5.4.4.2	_ISD_Boresight	32
5.4.4.3	_ISD_BoresightReferenced	32
5.4.4.4	_ISD_CloseTracker	32
5.4.4.5	_ISD_ConfigSave	32
5.4.4.6	_ISD_ConfigureFromFile	32
5.4.4.7	_ISD_GetCameraData	32
5.4.4.8	_ISD_GetCommInfo	32
5.4.4.9	_ISD_GetStationConfig	32
5.4.4.10	_ISD_GetStationHardwareInfo	32
5.4.4.11	_ISD_GetSystemHardwareInfo	32
5.4.4.12	_ISD_GetTime	32
5.4.4.13	_ISD_GetTrackerConfig	32
5.4.4.14	_ISD_GetTrackingData	32
5.4.4.15	_ISD_NumOpenTrackers	32
5.4.4.16	_ISD_OpenAllTrackers	32
5.4.4.17	_ISD_OpenTracker	32
5.4.4.18	_ISD_ResetHeading	32
5.4.4.19	_ISD_RingBufferQuery	32
5.4.4.20	_ISD_RingBufferSetup	32
5.4.4.21	_ISD_RingBufferStart	32
5.4.4.22	_ISD_RingBufferStop	32
5.4.4.23	_ISD_SendScript	32

5.4.4.24	_ISD_SetStationConfig	32
5.4.4.25	_ISD_SetTrackerConfig	32
5.4.4.26	_ISD_UdpBroadcastData	32
5.4.4.27	hLib	32
5.5	isense.h File Reference	33
5.5.1	Define Documentation	35
5.5.1.1	DLL_EP_PTR	35
5.5.1.2	DLENTY	35
5.5.1.3	DLLEXPORT	35
5.5.1.4	FALSE	35
5.5.1.5	ISD_DEFAULT_FRAME	35
5.5.1.6	ISD_EULER	35
5.5.1.7	ISD_MAX_AUX_INPUTS	35
5.5.1.8	ISD_MAX_AUX_OUTPUTS	35
5.5.1.9	ISD_MAX_BUTTONS	35
5.5.1.10	ISD_MAX_CHANNELS	35
5.5.1.11	ISD_MAX_STATIONS	35
5.5.1.12	ISD_MAX_TRACKERS	35
5.5.1.13	ISD_QUATERNION	35
5.5.1.14	ISD_VSET_FRAME	35
5.5.1.15	TRUE	35
5.5.2	Typedef Documentation	35
5.5.2.1	DLL_EP	35
5.5.2.2	ISD_TRACKER_HANDLE	35
5.5.3	Enumeration Type Documentation	35
5.5.3.1	ISD_AUX_SYSTEM_TYPE	35
5.5.3.2	ISD_INTERFACE_TYPE	35
5.5.3.3	ISD_SYSTEM_MODEL	36
5.5.3.4	ISD_SYSTEM_TYPE	36
5.5.4	Function Documentation	37
5.5.4.1	ISD_AuxOutput	37
5.5.4.2	ISD_Boresight	37
5.5.4.3	ISD_BoresightReferenced	37
5.5.4.4	ISD_CloseTracker	37
5.5.4.5	ISD_ConfigSave	37
5.5.4.6	ISD_ConfigureFromFile	37
5.5.4.7	ISD_GetCameraData	37
5.5.4.8	ISD_GetCommInfo	37
5.5.4.9	ISD_GetStationConfig	37
5.5.4.10	ISD_GetStationHardwareInfo	37
5.5.4.11	ISD_GetSystemHardwareInfo	37

5.5.4.12	ISD_GetTime	37
5.5.4.13	ISD_GetTrackerConfig	37
5.5.4.14	ISD_GetTrackingData	37
5.5.4.15	ISD_NumOpenTrackers	37
5.5.4.16	ISD_OpenAllTrackers	37
5.5.4.17	ISD_OpenTracker	37
5.5.4.18	ISD_ResetHeading	37
5.5.4.19	ISD_RingBufferQuery	37
5.5.4.20	ISD_RingBufferSetup	37
5.5.4.21	ISD_RingBufferStart	37
5.5.4.22	ISD_RingBufferStop	37
5.5.4.23	ISD_SendScript	37
5.5.4.24	ISD_SetStationConfig	37
5.5.4.25	ISD_SetTrackerConfig	37
5.5.4.26	ISD_UdpDataBroadcast	37
5.6	mainpage.h File Reference	38
5.6.1	Detailed Description	38
5.7	tracker.cpp File Reference	39
5.8	tracker.h File Reference	40
5.9	types.h File Reference	41
5.9.1	Typedef Documentation	41
5.9.1.1	Bool	41
5.9.1.2	BYTE	41
5.9.1.3	DWORD	41
5.9.1.4	Hwnd	41
5.9.1.5	LONG	41
5.9.1.6	WORD	41

Main Page

Delta3D is an Open Source engine which can be used for games, simulations, or other graphical applications.

The Delta3D framework exists as a number of modules, each sitting in its own library, enclosed within its own namespace. At the very core lies the dtCore library. This contains basic, low-level functionality which is mostly required for all 3D applications written in C++.

Around and alongside this sit other supporting libraries, such as dtUtil (containing reusable features which are useful for most applications), dtTerrain (for rendering terrain databases), dtGame, dtNet, etc.

Extensive online documentation is available from the Delta3D Docs section to help in using Delta3D.

The project's original reference guides generated by Doxygen from the source code may be viewed at the Delta3D API Documentation section.

To download source code, binaries, dependencies and sample datasets visit the Delta3D Downloads page.


For more about dependencies see the Delta3D Dependencies page.

The documentation you are looking at can be downloaded from www.3draum.ch.

Enjoy!

Directory Documentation


2.1 inc/dtInputISense/ Directory Reference



Files

- file **dlcompat.h**
- file **export.h**
- file **isense.h**
- file **mainpage.h**
- file **tracker.h**
- file **types.h**

2.2 src/dtInputSense/ Directory Reference



Files

- file **dlcompat.c**
- file **isense.c**
- file **tracker.cpp**


2.3 inc/ Directory Reference



Directories

- directory **dtInputSense**

2.4 src/ Directory Reference



Directories

- directory `dtInputSense`

Namespace Documentation

3.1 dtInputSense Namespace Reference

The dtInputSense namespace contains classes that allow for reading of Intersense (<http://www.isense.com/>) tracker devices.

Classes

- class **Tracker**
A tracker device.


3.1.1 Detailed Description

The dtInputSense namespace contains classes that allow for reading of Intersense (<http://www.isense.com/>) tracker devices.

Class Documentation

4.1 ISD_CAMERA_DATA_TYPE Struct Reference

`#include <inc/dtInputISense/isense.h>` Collaboration diagram for ISD_CAMERA_DATA_TYPE:



Public Attributes

- `ISD_CAMERA_ENCODER_DATA_TYPE Camera [ISD_MAX_STATIONS]`

4.1.1 Member Data Documentation

4.1.1.1 ISD_CAMERA_ENCODER_DATA_TYPE Camera[ISD_MAX_STATIONS]

The documentation for this struct was generated from the following file:

- `isense.h`

4.2 ISD_CAMERA_ENCODER_DATA_TYPE Struct Reference

```
#include <inc/dtInputISense/isense.h>
```

Public Attributes

- float **Aperture**
- **LONG** **ApertureEncoder**
- **BYTE** **bReserved1**
- **BYTE** **bReserved2**
- **BYTE** **bReserved3**
- float **CovarianceOrientation** [3]
- float **CovariancePosition** [3]
- **DWORD** **dwReserved1**
- **DWORD** **dwReserved2**
- float **Focus**
- **LONG** **FocusEncoder**
- float **FOV**
- float **fReserved1**
- float **fReserved2**
- float **fReserved3**
- float **fReserved4**
- float **NodalPoint**
- **DWORD** **Timecode**
- **DWORD** **TimecodeUserBits**
- **BYTE** **TrackingStatus**
- **LONG** **ZoomEncoder**

4.2.1 Member Data Documentation

- 4.2.1.1 float Aperture
- 4.2.1.2 LONG ApertureEncoder
- 4.2.1.3 BYTE bReserved1
- 4.2.1.4 BYTE bReserved2
- 4.2.1.5 BYTE bReserved3
- 4.2.1.6 float CovarianceOrientation[3]
- 4.2.1.7 float CovariancePosition[3]
- 4.2.1.8 DWORD dwReserved1
- 4.2.1.9 DWORD dwReserved2
- 4.2.1.10 float Focus
- 4.2.1.11 LONG FocusEncoder
- 4.2.1.12 float FOV
- 4.2.1.13 float fReserved1
- 4.2.1.14 float fReserved2
- 4.2.1.15 float fReserved3
- 4.2.1.16 float fReserved4
- 4.2.1.17 float NodalPoint
- 4.2.1.18 DWORD Timecode
- 4.2.1.19 DWORD TimecodeUserBits
- 4.2.1.20 BYTE TrackingStatus
- 4.2.1.21 LONG ZoomEncoder

The documentation for this struct was generated from the following file:

- `isense.h`

4.3 ISD_HARDWARE_INFO_TYPE Struct Reference

```
#include <inc/dtInputISense/isense.h>
```

Public Attributes

- **DWORD AuxSystem**
- **DWORD BaudRate**
- **Bool bReserved1**
- struct {
 - Bool bReserved2**
 - Bool bReserved3**
 - Bool bReserved4**
 - Bool Compass**
 - Bool CompassCal**
 - Bool ConfigLock**
 - Bool DiagData**
 - DWORD dwReserved1**
 - DWORD dwReserved2**
 - DWORD dwReserved3**
 - DWORD dwReserved4**
 - Bool Encoders**
 - Bool Enhancement**
 - Bool ErrorLog**
 - float **fReserved2**
 - float **fReserved3**
 - float **fReserved4**
 - DWORD MaxButtons**
 - DWORD MaxChannels**
 - DWORD MaxFPses**
 - DWORD MaxImus**
 - DWORD MaxStations**
 - Bool MeasData**
 - Bool Orientation**
 - Bool PhotoDiode**
 - Bool Position**
 - Bool Prediction**
 - Bool PseConfig**
 - Bool SelfTest**
 - Bool UltGain**
 - float **UltMaxRange**
 - Bool UltTimeout**
 - Bool UltVolume**
 } **Capability**
- char **cReserved1** [128]
- char **cReserved2** [128]
- char **cReserved3** [128]
- char **cReserved4** [128]
- float **FirmwareRev**
- float **fReserved1**
- **DWORD Interface**
- char **ModelName** [128]
- **DWORD NumTestLevels**
- **Bool OnHost**
- **DWORD Port**
- **DWORD TrackerModel**
- **DWORD TrackerType**
- **Bool Valid**

4.3.1 Member Data Documentation

4.3.1.1 **DWORD AuxSystem**

4.3.1.2 **DWORD BaudRate**

4.3.1.3 **Bool bReserved1**

4.3.1.4 **Bool bReserved2**

4.3.1.5 **Bool bReserved3**

4.3.1.6 **Bool bReserved4**

4.3.1.7 **struct { ... } Capability**

4.3.1.8 **Bool Compass**

4.3.1.9 **Bool CompassCal**

4.3.1.10 **Bool ConfigLock**

4.3.1.11 **char cReserved1[128]**

4.3.1.12 **char cReserved2[128]**

4.3.1.13 **char cReserved3[128]**

4.3.1.14 **char cReserved4[128]**

4.3.1.15 **Bool DiagData**

4.3.1.16 **DWORD dwReserved1**

4.3.1.17 **DWORD dwReserved2**

4.3.1.18 **DWORD dwReserved3**

4.3.1.19 **DWORD dwReserved4**

4.3.1.20 **Bool Encoders**

4.3.1.21 **Bool Enhancement**

4.3.1.22 **Bool ErrorLog**

4.3.1.23 **float FirmwareRev**

4.3.1.24 **float fReserved1**

4.3.1.25 **float fReserved2**

4.3.1.26 **float fReserved3**

4.3.1.27 **float fReserved4**

4.3.1.28 **DWORD Interface**

4.3.1.29 **DWORD MaxButtons**

4.3.1.30 **DWORD MaxChannels**

4.3.1.31 **DWORD MaxFPses**

4.3.1.32 **DWORD MaxImus**

4.3.1.33 **DWORD MaxStations**

4.3.1.34 **Bool MeasData**

4.3.1.35 **char ModelName[128]**

4.3.1.36 **DWORD NumTestLevels**

4.3.1.37 **Bool OnHost**

4.3.1.38 **Bool Orientation**

4.3.1.39 **Bool PhotoDiode**

4.3.1.40 **DWORD Port**

4.3.1.41 **Bool Position**

4.3.1.42 **Bool Prediction**

- [isense.h](#)

4.4 ISD_STATION_DATA_TYPE Struct Reference

```
#include <inc/dtInputISense/isense.h>
```

Public Attributes

- float **AccelBodyFrame** [3]
- float **AccelNavFrame** [3]
- short **AnalogData** [ISD_MAX_CHANNELS]
- float **AngularVelBodyFrame** [3]
- float **AngularVelNavFrame** [3]
- float **AngularVelRaw** [3]
- **BYTE AuxInputs** [ISD_MAX_AUX_INPUTS]
- float **BatteryLevel**
- **BYTE BatteryState**
- **Bool ButtonState** [ISD_MAX_BUTTONS]
- **BYTE CommIntegrity**
- float **CompassYaw**
- float **Euler** [3]
- **BYTE NewData**
- float **Position** [3]
- float **Quaternion** [4]
- **DWORD Reserved** [64]
- float **StillTime**
- float **TimeStamp**
- **BYTE TrackingStatus**
- float **VelocityNavFrame** [3]

4.4.1 Member Data Documentation

- 4.4.1.1 float AccelBodyFrame[3]
- 4.4.1.2 float AccelNavFrame[3]
- 4.4.1.3 short AnalogData[ISD_MAX_CHANNELS]
- 4.4.1.4 float AngularVelBodyFrame[3]
- 4.4.1.5 float AngularVelNavFrame[3]
- 4.4.1.6 float AngularVelRaw[3]
- 4.4.1.7 BYTE AuxInputs[ISD_MAX_AUX_INPUTS]
- 4.4.1.8 float BatteryLevel
- 4.4.1.9 BYTE BatteryState
- 4.4.1.10 Bool ButtonState[ISD_MAX_BUTTONS]
- 4.4.1.11 BYTE CommIntegrity
- 4.4.1.12 float CompassYaw
- 4.4.1.13 float Euler[3]
- 4.4.1.14 BYTE NewData
- 4.4.1.15 float Position[3]
- 4.4.1.16 float Quaternion[4]
- 4.4.1.17 DWORD Reserved[64]
- 4.4.1.18 float StillTime
- 4.4.1.19 float TimeStamp
- 4.4.1.20 BYTE TrackingStatus
- 4.4.1.21 float VelocityNavFrame[3]

The documentation for this struct was generated from the following file:

- `isense.h`

4.5 ISD_STATION_HARDWARE_INFO_TYPE Struct Reference

```
#include <inc/dtInputISense/isense.h>
```

Public Attributes

- char **CalDate** [20]
- struct {
 - **DWORD AuxInputs**
 - **DWORD AuxOutputs**
 - **Bool bReserved1**
 - **Bool bReserved2**
 - **Bool bReserved3**
 - **Bool bReserved4**
 - **Bool Compass**
 - **DWORD dwReserved1**
 - **DWORD dwReserved2**
 - **DWORD dwReserved3**
 - **DWORD dwReserved4**
 - **DWORD Encoders**
 - **DWORD NumButtons**
 - **DWORD NumChannels**
 - **Bool Orientation**
 - **Bool Position**
- } **Capability**
- char **cReserved1** [128]
- char **cReserved2** [128]
- char **cReserved3** [128]
- char **cReserved4** [128]
- char **DescVersion** [20]
- **DWORD DeviceID**
- float **FirmwareRev**
- float **fReserved1**
- float **fReserved2**
- float **fReserved3**
- float **fReserved4**
- **DWORD ID**
- **DWORD Port**
- **DWORD SerialNum**
- **DWORD Type**
- **Bool Valid**

4.5.1 Member Data Documentation

- 4.5.1.1 **DWORD AuxInputs**
- 4.5.1.2 **DWORD AuxOutputs**
- 4.5.1.3 **Bool bReserved1**
- 4.5.1.4 **Bool bReserved2**
- 4.5.1.5 **Bool bReserved3**
- 4.5.1.6 **Bool bReserved4**
- 4.5.1.7 **char CalDate[20]**
- 4.5.1.8 **struct { ... } Capability**
- 4.5.1.9 **Bool Compass**
- 4.5.1.10 **char cReserved1[128]**
- 4.5.1.11 **char cReserved2[128]**
- 4.5.1.12 **char cReserved3[128]**
- 4.5.1.13 **char cReserved4[128]**
- 4.5.1.14 **char DescVersion[20]**
- 4.5.1.15 **DWORD DeviceID**
- 4.5.1.16 **DWORD dwReserved1**
- 4.5.1.17 **DWORD dwReserved2**
- 4.5.1.18 **DWORD dwReserved3**
- 4.5.1.19 **DWORD dwReserved4**
- 4.5.1.20 **DWORD Encoders**
- 4.5.1.21 **float FirmwareRev**
- 4.5.1.22 **float fReserved1**
- 4.5.1.23 **float fReserved2**
- 4.5.1.24 **float fReserved3**
- 4.5.1.25 **float fReserved4**
- 4.5.1.26 **DWORD ID**
- 4.5.1.27 **DWORD NumButtons**
- 4.5.1.28 **DWORD NumChannels**
- 4.5.1.29 **Bool Orientation**
- 4.5.1.30 **DWORD Port**
- 4.5.1.31 **Bool Position**
- 4.5.1.32 **DWORD SerialNum**
- 4.5.1.33 **DWORD Type**
- 4.5.1.34 **Bool Valid**

The documentation for this struct was generated from the following file:

- **isense.h**

4.6 ISD_STATION_INFO_TYPE Struct Reference

```
#include <inc/dtInputISense/isense.h>
```

Public Attributes

- **DWORD AccelSensitivity**
- **DWORD AngleFormat**
- **BYTE bReserved2**
- **Bool bReserved4**
- **Bool Compass**
- **BYTE CompassCompensation**
- **DWORD CoordFrame**
- **DWORD dwReserved3**
- **DWORD dwReserved4**
- **DWORD Enhancement**
- **float fReserved4**
- **Bool GetAuxInputs**
- **Bool GetCameraData**
- **Bool GetCovarianceData**
- **Bool GetEncoderData**
- **Bool GetInputs**
- **DWORD ID**
- **BYTE ImuShockSuppression**
- **LONG InertiaCube**
- **DWORD Prediction**
- **DWORD Sensitivity**
- **Bool State**
- **Bool TimeStamped**
- **float TipOffset [3]**
- **BYTE UrmRejectionFactor**

4.6.1 Member Data Documentation

- 4.6.1.1 **DWORD AccelSensitivity**
- 4.6.1.2 **DWORD AngleFormat**
- 4.6.1.3 **BYTE bReserved2**
- 4.6.1.4 **Bool bReserved4**
- 4.6.1.5 **Bool Compass**
- 4.6.1.6 **BYTE CompassCompensation**
- 4.6.1.7 **DWORD CoordFrame**
- 4.6.1.8 **DWORD dwReserved3**
- 4.6.1.9 **DWORD dwReserved4**
- 4.6.1.10 **DWORD Enhancement**
- 4.6.1.11 **float fReserved4**
- 4.6.1.12 **Bool GetAuxInputs**
- 4.6.1.13 **Bool GetCameraData**
- 4.6.1.14 **Bool GetCovarianceData**
- 4.6.1.15 **Bool GetEncoderData**
- 4.6.1.16 **Bool GetInputs**
- 4.6.1.17 **DWORD ID**
- 4.6.1.18 **BYTE ImuShockSuppression**
- 4.6.1.19 **LONG InertiaCube**
- 4.6.1.20 **DWORD Prediction**
- 4.6.1.21 **DWORD Sensitivity**
- 4.6.1.22 **Bool State**
- 4.6.1.23 **Bool TimeStamped**
- 4.6.1.24 **float TipOffset[3]**
- 4.6.1.25 **BYTE UrmRejectionFactor**

The documentation for this struct was generated from the following file:

- **isense.h**

4.7 ISD_TRACKER_INFO_TYPE Struct Reference

```
#include <inc/dtInputISense/isense.h>
```

Public Attributes

- **Bool** bReserved2
- **Bool** bReserved3
- **Bool** bReserved4
- **DWORD** dwReserved4
- float **FirmwareRev**
- float **fReserved2**
- float **fReserved3**
- float **fReserved4**
- **DWORD** **Interface**
- float **KBitsPerSec**
- **Bool** **LedEnable**
- float **LibVersion**
- **DWORD** **Port**
- **DWORD** **RecordsPerSec**
- **DWORD** **SyncPhase**
- float **SyncRate**
- **DWORD** **SyncState**
- **DWORD** **TrackerModel**
- **DWORD** **TrackerType**
- **DWORD** **UltTimeout**
- **DWORD** **UltVolume**

4.7.1 Member Data Documentation


- 4.7.1.1 Bool bReserved2
- 4.7.1.2 Bool bReserved3
- 4.7.1.3 Bool bReserved4
- 4.7.1.4 DWORD dwReserved4
- 4.7.1.5 float FirmwareRev
- 4.7.1.6 float fReserved2
- 4.7.1.7 float fReserved3
- 4.7.1.8 float fReserved4
- 4.7.1.9 DWORD Interface
- 4.7.1.10 float KBitsPerSec
- 4.7.1.11 Bool LedEnable
- 4.7.1.12 float LibVersion
- 4.7.1.13 DWORD Port
- 4.7.1.14 DWORD RecordsPerSec
- 4.7.1.15 DWORD SyncPhase
- 4.7.1.16 float SyncRate
- 4.7.1.17 DWORD SyncState
- 4.7.1.18 DWORD TrackerModel
- 4.7.1.19 DWORD TrackerType
- 4.7.1.20 DWORD UltTimeout
- 4.7.1.21 DWORD UltVolume

The documentation for this struct was generated from the following file:

- [isense.h](#)

4.8 ISD_TRACKING_DATA_TYPE Struct Reference

#include <inc/dtInputISense/isense.h> Collaboration diagram for ISD_TRACKING_DATA_TYPE:



Public Attributes

- **ISD_STATION_DATA_TYPE Station** [ISD_MAX_STATIONS]

4.8.1 Member Data Documentation

4.8.1.1 ISD_STATION_DATA_TYPE Station[ISD_MAX_STATIONS]

The documentation for this struct was generated from the following file:

- **isense.h**

4.9 Tracker Class Reference

A tracker device.

```
#include <inc/dtInputISense/tracker.h>
```

Public Member Functions

- void **Poll** ()
Manually polls the state of this tracker, updating all of its features.

Static Public Member Functions

- static void **CreateInstances** ()
*Creates instances of **Tracker** (p. 24) corresponding to each connected tracker device.*
- static void **DestroyInstances** ()
*Destroys all **Tracker** (p. 24) instances.*
- static void **PollInstances** ()
*Polls all **Tracker** (p. 24) instances.*

4.9.1 Detailed Description

A tracker device.

4.9.2 Member Function Documentation

4.9.2.1 void CreateInstances () [static]

Creates instances of **Tracker** (p. 24) corresponding to each connected tracker device.

4.9.2.2 void DestroyInstances () [static]

Destroys all **Tracker** (p. 24) instances.

4.9.2.3 void Poll ()

Manually polls the state of this tracker, updating all of its features.

4.9.2.4 void PollInstances () [static]

Polls all **Tracker** (p. 24) instances.

The documentation for this class was generated from the following files:


- **tracker.h**
- **tracker.cpp**

File Documentation

5.1 dlcompat.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <sys/types.h>
#include <sys/stat.h>
#include <stdarg.h>
#include <limits.h>
#include <mach-o/dyld.h>
#include "dlcompat.h"
```

Include dependency graph for dlcompat.c:



Defines

- #define **ERR_STR_LEN** 256

Functions

- int **dlclose** (void *handle)
- const char * **dLError** (void)
- void * **dlopen** (const char *path, int mode)
- void * **dlsym** (void *handle, const char *symbol)
- static void * **dlsymIntern** (void *handle, const char *symbol)
- static const char * **error** (int setget, const char *str,...)

5.1.1 Define Documentation

5.1.1.1 `#define ERR_STR_LEN 256`

5.1.2 Function Documentation

5.1.2.1 `int dlclose (void * handle)`

5.1.2.2 `const char* dlerror (void)`

5.1.2.3 `void* dlopen (const char * path, int mode)`


5.1.2.4 `void* dlsym (void * handle, const char * symbol)`

5.1.2.5 `void * dlsymIntern (void * handle, const char * symbol)` [static]

5.1.2.6 `static const char * error (int setget, const char * str, ...)` [static]

5.2 dlcompat.h File Reference

This graph shows which files directly or indirectly include this file:



Defines

- #define **RTLD_GLOBAL** 0x8
- #define **RTLD_LAZY** 0x1
- #define **RTLD_LAZY_UNDEF** 0x100
- #define **RTLD_LOCAL** 0x4
- #define **RTLD_NODELETE** 0x80
- #define **RTLD_NOLOAD** 0x10
- #define **RTLD_NOW** 0x2
- #define **RTLD_SHARED** 0x20
- #define **RTLD_UNSHARED** 0x40

Functions

- int **dlclose** (void *handle)
- const char * **dLError** (void)
- void * **dlopen** (const char *path, int mode)
- void * **dlsym** (void *handle, const char *symbol)

5.2.1 Define Documentation

5.2.1.1 #define **RTLD_GLOBAL** 0x8

5.2.1.2 #define **RTLD_LAZY** 0x1

5.2.1.3 #define **RTLD_LAZY_UNDEF** 0x100

5.2.1.4 #define **RTLD_LOCAL** 0x4

5.2.1.5 #define **RTLD_NODELETE** 0x80

5.2.1.6 #define **RTLD_NOLOAD** 0x10

5.2.1.7 #define **RTLD_NOW** 0x2

5.2.1.8 #define **RTLD_SHARED** 0x20

5.2.1.9 #define **RTLD_UNSHARED** 0x40

5.2.2 Function Documentation

5.2.2.1 int **dlclose** (void * *handle*)


5.2.2.2 const char* **dLError** (void)

5.2.2.3 void* **dlopen** (const char * *path*, int *mode*)

5.2.2.4 void* **dlsym** (void * *handle*, const char * *symbol*)

5.3 export.h File Reference

This graph shows which files directly or indirectly include this file:



Defines

- `#define DT_INPUT_ISENSE_EXPORT`


5.3.1 Define Documentation

5.3.1.1 `#define DT_INPUT_ISENSE_EXPORT`

5.4 isense.c File Reference

```
#include <stdio.h>
#include <string.h>
#include <stdlib.h>
#include "isense.h"
#include <dlfcn.h>
```

Include dependency graph for isense.c:



Defines

- #define **ISD_LIB_NAME** "libisense"

Typedefs

- typedef void **DLL**
- typedef **Bool**(* **ISD_AUX_OUTPUT_FN**)(**ISD_TRACKER_HANDLE**, **WORD**, **BYTE** *, **WORD**)
- typedef **Bool**(* **ISD_BORESIGHT_FN**)(**ISD_TRACKER_HANDLE**, **WORD**, **Bool**)
- typedef **Bool**(* **ISD_BORESIGHT_REF_FN**)(**ISD_TRACKER_HANDLE**, **WORD**, float, float, float)
- typedef **Bool**(* **ISD_CAMERA_DATA_FN**)(**ISD_TRACKER_HANDLE**, **ISD_CAMERA_DATA_TYPE** *)
- typedef **Bool**(* **ISD_COMM_INFO_FN**)(**ISD_TRACKER_HANDLE**, **ISD_TRACKER_INFO_TYPE** *)
- typedef **Bool**(* **ISD_COMMAND_FN**)(**ISD_TRACKER_HANDLE**)
- typedef **Bool**(* **ISD_CONFIG_FILE_FN**)(**ISD_TRACKER_HANDLE**, char *, **Bool**)
- typedef **Bool**(* **ISD_COUNT_FN**)(**WORD** *)
- typedef **Bool**(* **ISD_DATA_FN**)(**ISD_TRACKER_HANDLE**, **ISD_TRACKING_DATA_TYPE** *)
- typedef **Bool**(* **ISD_GET_HARDW_INFO_FN**)(**ISD_TRACKER_HANDLE**, **ISD_STATION_HARDWARE_INFO_TYPE** *, **WORD**)
- typedef float(* **ISD_GET_TIME**)(void)
- typedef **DWORD**(* **ISD_OPEN_ALL_FN**)(**Hwnd**, **ISD_TRACKER_HANDLE** *, **Bool**, **Bool**)
- typedef **ISD_TRACKER_HANDLE**(* **ISD_OPEN_FN**)(**Hwnd**, **DWORD**, **Bool**, **Bool**)
- typedef **Bool**(* **ISD_QRY_RBUFFER_FN**)(**ISD_TRACKER_HANDLE**, **WORD**, **ISD_STATION_DATA_TYPE** *, **DWORD** *, **DWORD** *)
- typedef **Bool**(* **ISD_RBUFFER_FN**)(**ISD_TRACKER_HANDLE**, **WORD**)
- typedef **Bool**(* **ISD_RESET_HEADING_FN**)(**ISD_TRACKER_HANDLE**, **WORD**)
- typedef **Bool**(* **ISD_SCRIPT_FN**)(**ISD_TRACKER_HANDLE**, char *)
- typedef **Bool**(* **ISD_SET_RBUFFER_FN**)(**ISD_TRACKER_HANDLE**, **WORD**, **ISD_STATION_DATA_TYPE** *, **DWORD**)
- typedef **Bool**(* **ISD_STATION_CONFIG_FN**)(**ISD_TRACKER_HANDLE**, **ISD_STATION_INFO_TYPE** *, **WORD**, **Bool**)
- typedef **Bool**(* **ISD_SYS_INFO_FN**)(**ISD_TRACKER_HANDLE**, **ISD_HARDWARE_INFO_TYPE** *)
- typedef **Bool**(* **ISD_SYSTEM_CONFIG_FN**)(**ISD_TRACKER_HANDLE**, **ISD_TRACKER_INFO_TYPE** *, **Bool**)
- typedef **Bool**(* **ISD_UDP_BROADCAST_FN**)(**ISD_TRACKER_HANDLE**, **DWORD**, **ISD_TRACKING_DATA_TYPE** *, **ISD_CAMERA_DATA_TYPE** *)

Functions

- static **DLL_EP dll_entrypoint** (**DLL** *dll, const char *name)
- static **DLL** * **dll_load** (const char *name)
- static void **dll_unload** (**DLL** *dll)
- DLLEXPORT **Bool** DLENTY **ISD_AuxOutput** (**ISD_TRACKER_HANDLE** handle, **WORD** stationID, **BYTE** *AuxOutput, **WORD** length)
- DLLEXPORT **Bool** DLENTY **ISD_Boresight** (**ISD_TRACKER_HANDLE** handle, **WORD** stationNum, **Bool** set)
- DLLEXPORT **Bool** DLENTY **ISD_BoresightReferenced** (**ISD_TRACKER_HANDLE** handle, **WORD** stationNum, float yaw, float pitch, float roll)
- DLLEXPORT **Bool** DLENTY **ISD_CloseTracker** (**ISD_TRACKER_HANDLE** handle)
- DLLEXPORT **Bool** DLENTY **ISD_ConfigSave** (**ISD_TRACKER_HANDLE** handle)
- DLLEXPORT **Bool** DLENTY **ISD_ConfigureFromFile** (**ISD_TRACKER_HANDLE** handle, char *path, **Bool** verbose)
- static void **ISD_FreeLib** (void)
- DLLEXPORT **Bool** DLENTY **ISD_GetCameraData** (**ISD_TRACKER_HANDLE** handle, **ISD_CAMERA_DATA_TYPE** *Data)
- DLLEXPORT **Bool** DLENTY **ISD_GetCommInfo** (**ISD_TRACKER_HANDLE** handle, **ISD_TRACKER_INFO_TYPE** *Tracker)
- DLLEXPORT **Bool** DLENTY **ISD_GetStationConfig** (**ISD_TRACKER_HANDLE** handle, **ISD_STATION_INFO_TYPE** *Station, **WORD** stationNum, **Bool** verbose)
- DLLEXPORT **Bool** DLENTY **ISD_GetStationHardwareInfo** (**ISD_TRACKER_HANDLE** handle, **ISD_STATION_HARDWARE_INFO_TYPE** *info, **WORD** stationNum)
- DLLEXPORT **Bool** DLENTY **ISD_GetSystemHardwareInfo** (**ISD_TRACKER_HANDLE** handle, **ISD_HARDWARE_INFO_TYPE** *hwInfo)
- DLLEXPORT float DLENTY **ISD_GetTime** (void)
- DLLEXPORT **Bool** DLENTY **ISD_GetTrackerConfig** (**ISD_TRACKER_HANDLE** handle, **ISD_TRACKER_INFO_TYPE** *Tracker, **Bool** verbose)
- DLLEXPORT **Bool** DLENTY **ISD_GetTrackingData** (**ISD_TRACKER_HANDLE** handle, **ISD_TRACKING_DATA_TYPE** *Data)
- static **DLL** * **ISD_LoadLib** (void)
- DLLEXPORT **Bool** DLENTY **ISD_NumOpenTrackers** (**WORD** *num)
- DLLEXPORT **DWORD** DLENTY **ISD_OpenAllTrackers** (Hwnd hParent, **ISD_TRACKER_HANDLE** *handle, **Bool** infoScreen, **Bool** verbose)
- DLLEXPORT **ISD_TRACKER_HANDLE** DLENTY **ISD_OpenTracker** (Hwnd hParent, **DWORD** commPort, **Bool** infoScreen, **Bool** verbose)
- DLLEXPORT **Bool** DLENTY **ISD_ResetHeading** (**ISD_TRACKER_HANDLE** handle, **WORD** stationNum)
- DLLEXPORT **Bool** **ISD_RingBufferQuery** (**ISD_TRACKER_HANDLE** handle, **WORD** stationID, **ISD_STATION_DATA_TYPE** *currentData, **DWORD** *head, **DWORD** *tail)
- DLLEXPORT **Bool** **ISD_RingBufferSetup** (**ISD_TRACKER_HANDLE** handle, **WORD** stationID, **ISD_STATION_DATA_TYPE** *dataBuffer, **DWORD** samples)
- DLLEXPORT **Bool** **ISD_RingBufferStart** (**ISD_TRACKER_HANDLE** handle, **WORD** stationID)
- DLLEXPORT **Bool** **ISD_RingBufferStop** (**ISD_TRACKER_HANDLE** handle, **WORD** stationID)
- DLLEXPORT **Bool** DLENTY **ISD_SendScript** (**ISD_TRACKER_HANDLE** handle, char *script)
- DLLEXPORT **Bool** DLENTY **ISD_SetStationConfig** (**ISD_TRACKER_HANDLE** handle, **ISD_STATION_INFO_TYPE** *Station, **WORD** stationNum, **Bool** verbose)
- DLLEXPORT **Bool** DLENTY **ISD_SetTrackerConfig** (**ISD_TRACKER_HANDLE** handle, **ISD_TRACKER_INFO_TYPE** *Tracker, **Bool** verbose)
- DLLEXPORT **Bool** DLENTY **ISD_UdpBroadcastData** (**ISD_TRACKER_HANDLE** handle, **DWORD** port, **ISD_TRACKING_DATA_TYPE** *trackerData, **ISD_CAMERA_DATA_TYPE** *cameraData)

Variables

- `ISD_AUX_OUTPUT_FN_ISD_AuxOutput` = NULL
- `ISD_BORESIGHT_FN_ISD_Boresight` = NULL
- `ISD_BORESIGHT_REF_FN_ISD_BoresightReferenced` = NULL
- `ISD_COMMAND_FN_ISD_CloseTracker` = NULL
- `ISD_COMMAND_FN_ISD_ConfigSave` = NULL
- `ISD_CONFIG_FILE_FN_ISD_ConfigureFromFile` = NULL
- `ISD_CAMERA_DATA_FN_ISD_GetCameraData` = NULL
- `ISD_COMM_INFO_FN_ISD_GetCommInfo` = NULL
- `ISD_STATION_CONFIG_FN_ISD_GetStationConfig` = NULL
- `ISD_GET_HARDW_INFO_FN_ISD_GetStationHardwareInfo` = NULL
- `ISD_SYS_INFO_FN_ISD_GetSystemHardwareInfo` = NULL
- `ISD_GET_TIME_ISD_GetTime` = NULL
- `ISD_SYSTEM_CONFIG_FN_ISD_GetTrackerConfig` = NULL
- `ISD_DATA_FN_ISD_GetTrackingData` = NULL
- `ISD_COUNT_FN_ISD_NumOpenTrackers` = NULL
- `ISD_OPEN_ALL_FN_ISD_OpenAllTrackers` = NULL
- `ISD_OPEN_FN_ISD_OpenTracker` = NULL
- `ISD_RESET_HEADING_FN_ISD_ResetHeading` = NULL
- `ISD_QRY_RBUFFER_FN_ISD_RingBufferQuery` = NULL
- `ISD_SET_RBUFFER_FN_ISD_RingBufferSetup` = NULL
- `ISD_RBUFFER_FN_ISD_RingBufferStart` = NULL
- `ISD_RBUFFER_FN_ISD_RingBufferStop` = NULL
- `ISD_SCRIPT_FN_ISD_SendScript` = NULL
- `ISD_STATION_CONFIG_FN_ISD_SetStationConfig` = NULL
- `ISD_SYSTEM_CONFIG_FN_ISD_SetTrackerConfig` = NULL
- `ISD_UDP_BROADCAST_FN_ISD_UdpBroadcastData` = NULL
- static `DLL * hLib` = NULL

5.4.1 Define Documentation

5.4.1.1 `#define ISD_LIB_NAME "libisense"`

5.4.2 Typedef Documentation

5.4.2.1 `typedef void DLL`

5.4.2.2 `typedef Bool(* ISD_AUX_OUTPUT_FN)(ISD_TRACKER_HANDLE, WORD, BYTE *, WORD)`

5.4.2.3 `typedef Bool(* ISD_BORESIGHT_FN)(ISD_TRACKER_HANDLE, WORD, Bool)`

5.4.2.4 `typedef Bool(* ISD_BORESIGHT_REF_FN)(ISD_TRACKER_HANDLE, WORD, float, float, float)`

5.4.2.5 `typedef Bool(* ISD_CAMERA_DATA_FN)(ISD_TRACKER_HANDLE, ISD_CAMERA_DATA_TYPE *)`

5.4.2.6 `typedef Bool(* ISD_COMM_INFO_FN)(ISD_TRACKER_HANDLE, ISD_TRACKER_INFO_TYPE *)`

5.4.2.7 `typedef Bool(* ISD_COMMAND_FN)(ISD_TRACKER_HANDLE)`

5.4.2.8 `typedef Bool(* ISD_CONFIG_FILE_FN)(ISD_TRACKER_HANDLE, char *, Bool)`

5.4.2.9 `typedef Bool(* ISD_COUNT_FN)(WORD *)`

5.4.2.10 `typedef Bool(* ISD_DATA_FN)(ISD_TRACKER_HANDLE, ISD_TRACKING_DATA_TYPE *)`

5.4.2.11 `typedef Bool(* ISD_GET_HARDW_INFO_FN)(ISD_TRACKER_HANDLE, ISD_STATION_HARDWARE_INFO_TYPE *, WORD)`

5.4.2.12 `typedef float(* ISD_GET_TIME)(void)`

5.4.2.13 `typedef DWORD(* ISD_OPEN_ALL_FN)(Hwnd, ISD_TRACKER_HANDLE *, Bool, Bool)`

5.4.2.14 `typedef ISD_TRACKER_HANDLE(* ISD_OPEN_FN)(Hwnd, DWORD, Bool, Bool)`

5.4.2.15 `typedef Bool(* ISD_QRY_RBUFFER_FN)(ISD_TRACKER_HANDLE, WORD, ISD_STATION_DATA_TYPE *, DWORD *, DWORD *)`

5.4.2.16 `typedef Bool(* ISD_RBUFFER_FN)(ISD_TRACKER_HANDLE, WORD)`

5.4.2.17 `typedef Bool(* ISD_RESET_HEADING_FN)(ISD_TRACKER_HANDLE, WORD)`

5.4.2.18 `typedef Bool(* ISD_SCRIPT_FN)(ISD_TRACKER_HANDLE, char *)`

5.4.2.19 `typedef Bool(* ISD_SET_RBUFFER_FN)(ISD_TRACKER_HANDLE, WORD, ISD_STATION_DATA_TYPE *, DWORD)`

5.4.2.20 `typedef Bool(* ISD_STATION_CONFIG_FN)(ISD_TRACKER_HANDLE, ISD_STATION_INFO_TYPE *, WORD, Bool)`

5.4.2.21 `typedef Bool(* ISD_SYS_INFO_FN)(ISD_TRACKER_HANDLE, ISD_HARDWARE_INFO_TYPE *)`

5.4.2.22 `typedef Bool(* ISD_SYSTEM_CONFIG_FN)(ISD_TRACKER_HANDLE, ISD_TRACKER_INFO_TYPE *, Bool)`

5.4.2.23 `typedef Bool(* ISD_UDP_BROADCAST_FN)(ISD_TRACKER_HANDLE, DWORD, ISD_TRACKING_DATA_TYPE *, ISD_CAMERA_DATA_TYPE *)`

5.4.3 Function Documentation

5.4.3.1 `static DLL_EP dll_entrpoint (DLL * dll, const char * name) [static]`

5.4.3.2 `static DLL * dll_load (const char * name) [static]`

5.4.3.3 `static void dll_unload (DLL * dll) [static]`

5.4.3.4 `DLLEXPORT Bool DLENTY ISD_AuxOutput (ISD_TRACKER_HANDLE handle, WORD stationID, BYTE * AuxOutput, WORD length)`

5.4.3.5 `DLLEXPORT Bool DLENTY ISD_Boresight (ISD_TRACKER_HANDLE handle, WORD stationNum, Bool set)`

5.4.3.6 `DLLEXPORT Bool DLENTY ISD_BoresightReferenced (ISD_TRACKER_HANDLE handle, WORD stationNum, float yaw, float pitch, float roll)`

5.4.3.7 `DLLEXPORT Bool DLENTY ISD_CloseTracker (ISD_TRACKER_HANDLE handle)`


5.4.3.8 `DLLEXPORT Bool DLENTY ISD_ConfigSave (ISD_TRACKER_HANDLE handle)`

5.4.3.9 `DLLEXPORT Bool DLENTY ISD_ConfigureFromFile (ISD_TRACKER_HANDLE handle, char * path, Bool verbose)`


5.5 isense.h File Reference

```
#include "types.h"
```

Include dependency graph for isense.h:



This graph shows which files directly or indirectly include this file:



Classes

- struct **ISD_CAMERA_DATA_TYPE**
- struct **ISD_CAMERA_ENCODER_DATA_TYPE**
- struct **ISD_HARDWARE_INFO_TYPE**
- struct **ISD_STATION_DATA_TYPE**
- struct **ISD_STATION_HARDWARE_INFO_TYPE**
- struct **ISD_STATION_INFO_TYPE**
- struct **ISD_TRACKER_INFO_TYPE**
- struct **ISD_TRACKING_DATA_TYPE**

Defines

- #define **DLL_EP_PTR** *
- #define **DLENTY**
- #define **DLLEXPORT**
- #define **FALSE** 0
- #define **ISD_DEFAULT_FRAME** 1
- #define **ISD_EULER** 1
- #define **ISD_MAX_AUX_INPUTS** 4
- #define **ISD_MAX_AUX_OUTPUTS** 4
- #define **ISD_MAX_BUTTONS** 8
- #define **ISD_MAX_CHANNELS** 10
- #define **ISD_MAX_STATIONS** 8
- #define **ISD_MAX_TRACKERS** 32
- #define **ISD_QUATERNION** 2
- #define **ISD_VSET_FRAME** 2
- #define **TRUE** 1

Typedefs

- typedef void(* **DLL_EP**)(void)
- typedef int **ISD_TRACKER_HANDLE**

Enumerations

- enum **ISD_AUX_SYSTEM_TYPE** {
ISD_AUX_SYSTEM_NONE = 0, **ISD_AUX_SYSTEM_ULTRASONIC**, **ISD_AUX_SYSTEM_OPTICAL**,
ISD_AUX_SYSTEM_MAGNETIC,
ISD_AUX_SYSTEM_RF, **ISD_AUX_SYSTEM_GPS** }
- enum **ISD_INTERFACE_TYPE** {
ISD_INTERFACE_UNKNOWN = 0, **ISD_INTERFACE_SERIAL**, **ISD_INTERFACE_USB**, **ISD_-**
INTERFACE_ETHERNET_UDP,
ISD_INTERFACE_ETHERNET_TCP, **ISD_INTERFACE_IOCARD**, **ISD_INTERFACE_PCMCIA**, **ISD_-**
INTERFACE_FILE }
- enum **ISD_SYSTEM_MODEL** {
ISD_UNKNOWN = 0, **ISD_IS300**, **ISD_IS600**, **ISD_IS900**,
ISD_INTERTRAX, **ISD_INTERTRAX_2**, **ISD_INTERTRAX_LS**, **ISD_INTERTRAX_LC**,
ISD_ICUBE2, **ISD_ICUBE2_PRO**, **ISD_IS1200**, **ISD_ICUBE3**,
ISD_ICUBE4, **ISD_INTERTRAX_3**, **ISD_IMUK**, **ISD_ICUBE2B_PRO** }
- enum **ISD_SYSTEM_TYPE** { **ISD_NONE** = 0, **ISD_PRECISION_SERIES**, **ISD_INTERTRAX_SERIES** }

Functions

- DLLEXPORT **Bool** DLENTY **ISD_AuxOutput** (**ISD_TRACKER_HANDLE** handle, **WORD** stationID, **BYTE** *AuxOutput, **WORD** length)
- DLLEXPORT **Bool** DLENTY **ISD_Boresight** (**ISD_TRACKER_HANDLE** handle, **WORD** stationID, **Bool** set)
- DLLEXPORT **Bool** DLENTY **ISD_BoresightReferenced** (**ISD_TRACKER_HANDLE** handle, **WORD** stationID, float yaw, float pitch, float roll)
- DLLEXPORT **Bool** DLENTY **ISD_CloseTracker** (**ISD_TRACKER_HANDLE** handle)
- DLLEXPORT **Bool** **ISD_ConfigSave** (**ISD_TRACKER_HANDLE** handle)
- DLLEXPORT **Bool** **ISD_ConfigureFromFile** (**ISD_TRACKER_HANDLE** handle, char *path, **Bool** verbose)
- DLLEXPORT **Bool** DLENTY **ISD_GetCameraData** (**ISD_TRACKER_HANDLE** handle, **ISD_CAMERA_-**
DATA_TYPE *Data)
- DLLEXPORT **Bool** DLENTY **ISD_GetCommInfo** (**ISD_TRACKER_HANDLE** handle, **ISD_TRACKER_-**
INFO_TYPE *Tracker)
- DLLEXPORT **Bool** DLENTY **ISD_GetStationConfig** (**ISD_TRACKER_HANDLE** handle, **ISD_-**
STATION_INFO_TYPE *Station, **WORD** stationID, **Bool** verbose)
- DLLEXPORT **Bool** DLENTY **ISD_GetStationHardwareInfo** (**ISD_TRACKER_HANDLE** handle, **ISD_-**
STATION_HARDWARE_INFO_TYPE *info, **WORD** stationID)
- DLLEXPORT **Bool** DLENTY **ISD_GetSystemHardwareInfo** (**ISD_TRACKER_HANDLE** handle, **ISD_-**
HARDWARE_INFO_TYPE *hwInfo)
- DLLEXPORT float DLENTY **ISD_GetTime** (void)
- DLLEXPORT **Bool** DLENTY **ISD_GetTrackerConfig** (**ISD_TRACKER_HANDLE** handle, **ISD_-**
TRACKER_INFO_TYPE *Tracker, **Bool** verbose)
- DLLEXPORT **Bool** DLENTY **ISD_GetTrackingData** (**ISD_TRACKER_HANDLE** handle, **ISD_-**
TRACKING_DATA_TYPE *Data)
- DLLEXPORT **Bool** DLENTY **ISD_NumOpenTrackers** (**WORD** *num)
- DLLEXPORT **DWORD** DLENTY **ISD_OpenAllTrackers** (Hwnd hParent, **ISD_TRACKER_HANDLE**
*handle, **Bool** infoScreen, **Bool** verbose)
- DLLEXPORT **ISD_TRACKER_HANDLE** DLENTY **ISD_OpenTracker** (Hwnd hParent, **DWORD** comm-
Port, **Bool** infoScreen, **Bool** verbose)
- DLLEXPORT **Bool** DLENTY **ISD_ResetHeading** (**ISD_TRACKER_HANDLE** handle, **WORD** stationID)
- DLLEXPORT **Bool** **ISD_RingBufferQuery** (**ISD_TRACKER_HANDLE** handle, **WORD** stationID, **ISD_-**
STATION_DATA_TYPE *currentData, **DWORD** *head, **DWORD** *tail)
- DLLEXPORT **Bool** **ISD_RingBufferSetup** (**ISD_TRACKER_HANDLE** handle, **WORD** stationID, **ISD_-**
STATION_DATA_TYPE *dataBuffer, **DWORD** samples)
- DLLEXPORT **Bool** **ISD_RingBufferStart** (**ISD_TRACKER_HANDLE** handle, **WORD** stationID)
- DLLEXPORT **Bool** **ISD_RingBufferStop** (**ISD_TRACKER_HANDLE** handle, **WORD** stationID)

- DLLEXPORT **Bool** DLENTY **ISD_SendScript** (**ISD_TRACKER_HANDLE** handle, char *script)
- DLLEXPORT **Bool** DLENTY **ISD_SetStationConfig** (**ISD_TRACKER_HANDLE** handle, **ISD_STATION_INFO_TYPE** *Station, **WORD** stationID, **Bool** verbose)
- DLLEXPORT **Bool** DLENTY **ISD_SetTrackerConfig** (**ISD_TRACKER_HANDLE** handle, **ISD_TRACKER_INFO_TYPE** *Tracker, **Bool** verbose)
- DLLEXPORT **Bool** DLENTY **ISD_UdpDataBroadcast** (**ISD_TRACKER_HANDLE** handle, **DWORD** port, **ISD_TRACKING_DATA_TYPE** *trackingData, **ISD_CAMERA_DATA_TYPE** *cameraData)

5.5.1 Define Documentation

5.5.1.1 #define **DLL_EP_PTR** *

5.5.1.2 #define **DLENTY**

5.5.1.3 #define **DLLEXPORT**

5.5.1.4 #define **FALSE** 0

5.5.1.5 #define **ISD_DEFAULT_FRAME** 1

5.5.1.6 #define **ISD_EULER** 1

5.5.1.7 #define **ISD_MAX_AUX_INPUTS** 4

5.5.1.8 #define **ISD_MAX_AUX_OUTPUTS** 4

5.5.1.9 #define **ISD_MAX_BUTTONS** 8

5.5.1.10 #define **ISD_MAX_CHANNELS** 10

5.5.1.11 #define **ISD_MAX_STATIONS** 8

5.5.1.12 #define **ISD_MAX_TRACKERS** 32

5.5.1.13 #define **ISD_QUATERNION** 2

5.5.1.14 #define **ISD_VSET_FRAME** 2

5.5.1.15 #define **TRUE** 1

5.5.2 Typedef Documentation

5.5.2.1 typedef void(* **DLL_EP**)(void)

5.5.2.2 typedef int **ISD_TRACKER_HANDLE**

5.5.3 Enumeration Type Documentation

5.5.3.1 enum **ISD_AUX_SYSTEM_TYPE**

Enumerator:

ISD_AUX_SYSTEM_NONE

ISD_AUX_SYSTEM_ULTRASONIC

ISD_AUX_SYSTEM_OPTICAL

ISD_AUX_SYSTEM_MAGNETIC

ISD_AUX_SYSTEM_RF

ISD_AUX_SYSTEM_GPS

5.5.3.2 enum **ISD_INTERFACE_TYPE**

Enumerator:

ISD_INTERFACE_UNKNOWN

ISD_INTERFACE_SERIAL

ISD_INTERFACE_USB

ISD_INTERFACE_ETHERNET_UDP

ISD_INTERFACE_ETHERNET_TCP

ISD_INTERFACE_IOCARD

ISD_INTERFACE_PCMCIA

ISD_INTERFACE_FILE

5.5.3.3 enum ISD_SYSTEM_MODEL

Enumerator:

ISD_UNKNOWN

ISD_IS300

ISD_IS600

ISD_IS900

ISD_INTERTRAX

ISD_INTERTRAX_2

ISD_INTERTRAX_LS

ISD_INTERTRAX_LC

ISD_ICUBE2

ISD_ICUBE2_PRO

ISD_IS1200

ISD_ICUBE3

ISD_ICUBE4

ISD_INTERTRAX_3

ISD_IMUK

ISD_ICUBE2B_PRO

5.5.3.4 enum ISD_SYSTEM_TYPE

Enumerator:

ISD_NONE

ISD_PRECISION_SERIES

ISD_INTERTRAX_SERIES

5.5.4 Function Documentation

- 5.5.4.1 DLLEXPORT Bool DLLENTY ISD_AuxOutput (ISD_TRACKER_HANDLE *handle*, WORD *stationID*, BYTE * *AuxOutput*, WORD *length*)
- 5.5.4.2 DLLEXPORT Bool DLLENTY ISD_Boresight (ISD_TRACKER_HANDLE *handle*, WORD *stationID*, Bool *set*)
- 5.5.4.3 DLLEXPORT Bool DLLENTY ISD_BoresightReferenced (ISD_TRACKER_HANDLE *handle*, WORD *stationID*, float *yaw*, float *pitch*, float *roll*)
- 5.5.4.4 DLLEXPORT Bool DLLENTY ISD_CloseTracker (ISD_TRACKER_HANDLE *handle*)
- 5.5.4.5 DLLEXPORT Bool ISD_ConfigSave (ISD_TRACKER_HANDLE *handle*)
- 5.5.4.6 DLLEXPORT Bool ISD_ConfigureFromFile (ISD_TRACKER_HANDLE *handle*, char * *path*, Bool *verbose*)
- 5.5.4.7 DLLEXPORT Bool DLLENTY ISD_GetCameraData (ISD_TRACKER_HANDLE *handle*, ISD_CAMERA_DATA_TYPE * *Data*)
- 5.5.4.8 DLLEXPORT Bool DLLENTY ISD_GetCommInfo (ISD_TRACKER_HANDLE *handle*, ISD_TRACKER_INFO_TYPE * *Tracker*)
- 5.5.4.9 DLLEXPORT Bool DLLENTY ISD_GetStationConfig (ISD_TRACKER_HANDLE *handle*, ISD_STATION_INFO_TYPE * *Station*, WORD *stationID*, Bool *verbose*)
- 5.5.4.10 DLLEXPORT Bool DLLENTY ISD_GetStationHardwareInfo (ISD_TRACKER_HANDLE *handle*, ISD_STATION_HARDWARE_INFO_TYPE * *info*, WORD *stationID*)
- 5.5.4.11 DLLEXPORT Bool DLLENTY ISD_GetSystemHardwareInfo (ISD_TRACKER_HANDLE *handle*, ISD_HARDWARE_INFO_TYPE * *hwInfo*)
- 5.5.4.12 DLLEXPORT float DLLENTY ISD_GetTime (void)
- 5.5.4.13 DLLEXPORT Bool DLLENTY ISD_GetTrackerConfig (ISD_TRACKER_HANDLE *handle*, ISD_TRACKER_INFO_TYPE * *Tracker*, Bool *verbose*)
- 5.5.4.14 DLLEXPORT Bool DLLENTY ISD_GetTrackingData (ISD_TRACKER_HANDLE *handle*, ISD_TRACKING_DATA_TYPE * *Data*)
- 5.5.4.15 DLLEXPORT Bool DLLENTY ISD_NumOpenTrackers (WORD * *num*)
- 5.5.4.16 DLLEXPORT DWORD DLLENTY ISD_OpenAllTrackers (Hwnd *hParent*, ISD_TRACKER_HANDLE * *handle*, Bool *infoScreen*, Bool *verbose*)
- 5.5.4.17 DLLEXPORT ISD_TRACKER_HANDLE DLLENTY ISD_OpenTracker (Hwnd *hParent*, DWORD *commPort*, Bool *infoScreen*, Bool *verbose*)
- 5.5.4.18 DLLEXPORT Bool DLLENTY ISD_ResetHeading (ISD_TRACKER_HANDLE *handle*, WORD *stationID*)
- 5.5.4.19 DLLEXPORT Bool ISD_RingBufferQuery (ISD_TRACKER_HANDLE *handle*, WORD *stationID*, ISD_STATION_DATA_TYPE * *currentData*, DWORD * *head*, DWORD * *tail*)
- 5.5.4.20 DLLEXPORT Bool ISD_RingBufferSetup (ISD_TRACKER_HANDLE *handle*, WORD *stationID*, ISD_STATION_DATA_TYPE * *dataBuffer*, DWORD *samples*)
- 5.5.4.21 DLLEXPORT Bool ISD_RingBufferStart (ISD_TRACKER_HANDLE *handle*, WORD *stationID*)
- 5.5.4.22 DLLEXPORT Bool ISD_RingBufferStop (ISD_TRACKER_HANDLE *handle*, WORD *stationID*)
- 5.5.4.23 DLLEXPORT Bool DLLENTY ISD_SendScript (ISD_TRACKER_HANDLE *handle*, char * *script*)
- 5.5.4.24 DLLEXPORT Bool DLLENTY ISD_SetStationConfig (ISD_TRACKER_HANDLE *handle*, ISD_STATION_INFO_TYPE * *Station*, WORD *stationID*, Bool *verbose*)
- 5.5.4.25 DLLEXPORT Bool DLLENTY ISD_SetTrackerConfig (ISD_TRACKER_HANDLE *handle*, ISD_TRACKER_INFO_TYPE * *Tracker*, Bool *verbose*)
- 5.5.4.26 DLLEXPORT Bool DLLENTY ISD_UdpDataBroadcast (ISD_TRACKER_HANDLE *handle*, DWORD *port*, ISD_TRACKING_DATA_TYPE * *trackingData*, ISD_CAMERA_DATA_TYPE * *cameraData*)

5.6 mainpage.h File Reference

5.6.1 Detailed Description


This file contains Doxygen special commands and text for the **Main Page** (p. ??) and some other minor aspects of this documentation. It is not part of Delta3D.

5.7 tracker.cpp File Reference

```
#include <dtInputISense/tracker.h>
```

```
#include <sstream>
```


Include dependency graph for tracker.cpp:




5.8 tracker.h File Reference

```
#include <string>
#include "isense.h"
#include <dtCore/inputdevice.h>
#include <dtInputISense/export.h>
```

Include dependency graph for tracker.h:



This graph shows which files directly or indirectly include this file:



Classes


- class **Tracker**
A tracker device.

Namespaces

- namespace **dtInputSense**
The dtInputSense namespace contains classes that allow for reading of Intersense (<http://www.isense.com/>) tracker devices.

5.9 types.h File Reference

This graph shows which files directly or indirectly include this file:



Typedefs

- typedef long **Bool**
- typedef unsigned char **BYTE**
- typedef unsigned long **DWORD**
- typedef long **Hwnd**
- typedef long **LONG**
- typedef unsigned short **WORD**

5.9.1 Typedef Documentation

5.9.1.1 typedef long Bool

5.9.1.2 typedef unsigned char BYTE

5.9.1.3 typedef unsigned long DWORD

5.9.1.4 typedef long Hwnd

5.9.1.5 typedef long LONG

5.9.1.6 typedef unsigned short WORD

Index

- Symbols -

`_ISD_AuxOutput`
isense.c, 32

`_ISD_Boresight`
isense.c, 32

`_ISD_BoresightReferenced`
isense.c, 32

`_ISD_CloseTracker`
isense.c, 32

`_ISD_ConfigSave`
isense.c, 32

`_ISD_ConfigureFromFile`
isense.c, 32

`_ISD_GetCameraData`
isense.c, 32

`_ISD_GetCommInfo`
isense.c, 32

`_ISD_GetStationConfig`
isense.c, 32

`_ISD_GetStationHardwareInfo`
isense.c, 32

`_ISD_GetSystemHardwareInfo`
isense.c, 32

`_ISD_GetTime`
isense.c, 32

`_ISD_GetTrackerConfig`
isense.c, 32

`_ISD_GetTrackingData`
isense.c, 32

`_ISD_NumOpenTrackers`
isense.c, 32

`_ISD_OpenAllTrackers`
isense.c, 32

`_ISD_OpenTracker`
isense.c, 32

`_ISD_ResetHeading`
isense.c, 32

`_ISD_RingBufferQuery`
isense.c, 32

`_ISD_RingBufferSetup`
isense.c, 32

`_ISD_RingBufferStart`
isense.c, 32

`_ISD_RingBufferStop`
isense.c, 32

`_ISD_SendScript`
isense.c, 32

`_ISD_SetStationConfig`
isense.c, 32

`_ISD_SetTrackerConfig`
isense.c, 32

`_ISD_UdpBroadcastData`
isense.c, 32

- A -

AccelBodyFrame
ISD_STATION_DATA_TYPE, 16

AccelNavFrame
ISD_STATION_DATA_TYPE, 16

AccelSensitivity

ISD_STATION_INFO_TYPE, 20

AnalogData
ISD_STATION_DATA_TYPE, 16

AngleFormat
ISD_STATION_INFO_TYPE, 20

AngularVelBodyFrame
ISD_STATION_DATA_TYPE, 16

AngularVelNavFrame
ISD_STATION_DATA_TYPE, 16

AngularVelRaw
ISD_STATION_DATA_TYPE, 16

Aperture
ISD_CAMERA_ENCODER_DATA_TYPE, 11

ApertureEncoder
ISD_CAMERA_ENCODER_DATA_TYPE, 11

AuxInputs
ISD_STATION_DATA_TYPE, 16
ISD_STATION_HARDWARE_INFO_TYPE, 18

AuxOutputs
ISD_STATION_HARDWARE_INFO_TYPE, 18

AuxSystem
ISD_HARDWARE_INFO_TYPE, 13

- B -

BatteryLevel
ISD_STATION_DATA_TYPE, 16

BatteryState
ISD_STATION_DATA_TYPE, 16

BaudRate
ISD_HARDWARE_INFO_TYPE, 13

Bool
types.h, 41

bReserved1
ISD_CAMERA_ENCODER_DATA_TYPE, 11
ISD_HARDWARE_INFO_TYPE, 13
ISD_STATION_HARDWARE_INFO_TYPE, 18

bReserved2
ISD_CAMERA_ENCODER_DATA_TYPE, 11
ISD_HARDWARE_INFO_TYPE, 13
ISD_STATION_HARDWARE_INFO_TYPE, 18
ISD_STATION_INFO_TYPE, 20
ISD_TRACKER_INFO_TYPE, 22

bReserved3
ISD_CAMERA_ENCODER_DATA_TYPE, 11
ISD_HARDWARE_INFO_TYPE, 13
ISD_STATION_HARDWARE_INFO_TYPE, 18
ISD_TRACKER_INFO_TYPE, 22

bReserved4
ISD_HARDWARE_INFO_TYPE, 13
ISD_STATION_HARDWARE_INFO_TYPE, 18
ISD_STATION_INFO_TYPE, 20
ISD_TRACKER_INFO_TYPE, 22

ButtonState
ISD_STATION_DATA_TYPE, 16

BYTE
types.h, 41

- C -

CalDate
ISD_STATION_HARDWARE_INFO_TYPE, 18

- Camera
 - ISD_CAMERA_DATA_TYPE, 9
- Capability
 - ISD_HARDWARE_INFO_TYPE, 13
 - ISD_STATION_HARDWARE_INFO_TYPE, 18
- CommIntegrity
 - ISD_STATION_DATA_TYPE, 16
- Compass
 - ISD_HARDWARE_INFO_TYPE, 13
 - ISD_STATION_HARDWARE_INFO_TYPE, 18
 - ISD_STATION_INFO_TYPE, 20
- CompassCal
 - ISD_HARDWARE_INFO_TYPE, 13
- CompassCompensation
 - ISD_STATION_INFO_TYPE, 20
- CompassYaw
 - ISD_STATION_DATA_TYPE, 16
- ConfigLock
 - ISD_HARDWARE_INFO_TYPE, 13
- CoordFrame
 - ISD_STATION_INFO_TYPE, 20
- CovarianceOrientation
 - ISD_CAMERA_ENCODER_DATA_TYPE, 11
- CovariancePosition
 - ISD_CAMERA_ENCODER_DATA_TYPE, 11
- CreateInstances
 - dtInputSense::Tracker, 24
- cReserved1
 - ISD_HARDWARE_INFO_TYPE, 13
 - ISD_STATION_HARDWARE_INFO_TYPE, 18
- cReserved2
 - ISD_HARDWARE_INFO_TYPE, 13
 - ISD_STATION_HARDWARE_INFO_TYPE, 18
- cReserved3
 - ISD_HARDWARE_INFO_TYPE, 13
 - ISD_STATION_HARDWARE_INFO_TYPE, 18
- cReserved4
 - ISD_HARDWARE_INFO_TYPE, 13
 - ISD_STATION_HARDWARE_INFO_TYPE, 18
- D -**
- DescVersion
 - ISD_STATION_HARDWARE_INFO_TYPE, 18
- DestroyInstances
 - dtInputSense::Tracker, 24
- DeviceID
 - ISD_STATION_HARDWARE_INFO_TYPE, 18
- DiagData
 - ISD_HARDWARE_INFO_TYPE, 13
- dlclose
 - dlcompat.c, 26
 - dlcompat.h, 27
- dlcompat.c, 25
 - dlclose, 26
 - dlerror, 26
 - dlopen, 26
 - dlsym, 26
 - dlsymIntern, 26
 - ERR_STR_LEN, 26
 - error, 26
- dlcompat.h, 27
 - dlclose, 27
 - dlerror, 27
 - dlopen, 27
 - dlsym, 27
 - RTLD_GLOBAL, 27
 - RTLD_LAZY, 27
 - RTLD_LAZY_UNDEF, 27
 - RTLD_LOCAL, 27
 - RTLD_NODELETE, 27
 - RTLD_NOLOAD, 27
 - RTLD_NOW, 27
 - RTLD_SHARED, 27
 - RTLD_UNSHARED, 27
- dlerror
 - dlcompat.c, 26
 - dlcompat.h, 27
- DLL
 - isense.c, 32
- dll_entrypoint
 - isense.c, 32
- DLL_EP
 - isense.h, 35
- DLL_EP_PTR
 - isense.h, 35
- dll_load
 - isense.c, 32
- dll_unload
 - isense.c, 32
- DLLENTRY
 - isense.h, 35
- DLL_EXPORT
 - isense.h, 35
- dlopen
 - dlcompat.c, 26
 - dlcompat.h, 27
- dlsym
 - dlcompat.c, 26
 - dlcompat.h, 27
- dlsymIntern
 - dlcompat.c, 26
- DT_INPUT_ISENSE_EXPORT
 - export.h, 28
- dtInputSense, 7
 - dtInputSense::Tracker, 24
 - CreateInstances, 24
 - DestroyInstances, 24
 - Poll, 24
 - PollInstances, 24
- DWORD
 - types.h, 41
- dwReserved1
 - ISD_CAMERA_ENCODER_DATA_TYPE, 11
 - ISD_HARDWARE_INFO_TYPE, 13
 - ISD_STATION_HARDWARE_INFO_TYPE, 18
- dwReserved2
 - ISD_CAMERA_ENCODER_DATA_TYPE, 11
 - ISD_HARDWARE_INFO_TYPE, 13
 - ISD_STATION_HARDWARE_INFO_TYPE, 18
- dwReserved3
 - ISD_HARDWARE_INFO_TYPE, 13
 - ISD_STATION_HARDWARE_INFO_TYPE, 18
 - ISD_STATION_INFO_TYPE, 20
- dwReserved4
 - ISD_HARDWARE_INFO_TYPE, 13
 - ISD_STATION_HARDWARE_INFO_TYPE, 18
 - ISD_STATION_INFO_TYPE, 20
 - ISD_TRACKER_INFO_TYPE, 22
- E -**
- Encoders
 - ISD_HARDWARE_INFO_TYPE, 13

ISD_STATION_HARDWARE_INFO_TYPE, 18
 Enhancement
 ISD_HARDWARE_INFO_TYPE, 13
 ISD_STATION_INFO_TYPE, 20
 ERR_STR_LEN
 dlcompat.c, 26
 error
 dlcompat.c, 26
 ErrorLog
 ISD_HARDWARE_INFO_TYPE, 13
 Euler
 ISD_STATION_DATA_TYPE, 16
 export.h, 28
 DT_INPUT_ISENSE_EXPORT, 28

- F -

FALSE
 isense.h, 35
 FirmwareRev
 ISD_HARDWARE_INFO_TYPE, 13
 ISD_STATION_HARDWARE_INFO_TYPE, 18
 ISD_TRACKER_INFO_TYPE, 22
 Focus
 ISD_CAMERA_ENCODER_DATA_TYPE, 11
 FocusEncoder
 ISD_CAMERA_ENCODER_DATA_TYPE, 11
 FOV
 ISD_CAMERA_ENCODER_DATA_TYPE, 11
 fReserved1
 ISD_CAMERA_ENCODER_DATA_TYPE, 11
 ISD_HARDWARE_INFO_TYPE, 13
 ISD_STATION_HARDWARE_INFO_TYPE, 18
 fReserved2
 ISD_CAMERA_ENCODER_DATA_TYPE, 11
 ISD_HARDWARE_INFO_TYPE, 13
 ISD_STATION_HARDWARE_INFO_TYPE, 18
 ISD_TRACKER_INFO_TYPE, 22
 fReserved3
 ISD_CAMERA_ENCODER_DATA_TYPE, 11
 ISD_HARDWARE_INFO_TYPE, 13
 ISD_STATION_HARDWARE_INFO_TYPE, 18
 ISD_TRACKER_INFO_TYPE, 22
 fReserved4
 ISD_CAMERA_ENCODER_DATA_TYPE, 11
 ISD_HARDWARE_INFO_TYPE, 13
 ISD_STATION_HARDWARE_INFO_TYPE, 18
 ISD_STATION_INFO_TYPE, 20
 ISD_TRACKER_INFO_TYPE, 22

- G -

GetAuxInputs
 ISD_STATION_INFO_TYPE, 20
 GetCameraData
 ISD_STATION_INFO_TYPE, 20
 GetCovarianceData
 ISD_STATION_INFO_TYPE, 20
 GetEncoderData
 ISD_STATION_INFO_TYPE, 20
 GetInputs
 ISD_STATION_INFO_TYPE, 20

- H -

hLib
 isense.c, 32
 Hwnd

types.h, 41

- I -

ID
 ISD_STATION_HARDWARE_INFO_TYPE, 18
 ISD_STATION_INFO_TYPE, 20
 ImuShockSuppression
 ISD_STATION_INFO_TYPE, 20
 inc/ Directory Reference, 5
 inc/dtInputSense/ Directory Reference, 3
 InertiaCube
 ISD_STATION_INFO_TYPE, 20
 Interface
 ISD_HARDWARE_INFO_TYPE, 13
 ISD_TRACKER_INFO_TYPE, 22
 ISD_AUX_OUTPUT_FN
 isense.c, 32
 ISD_AUX_SYSTEM_GPS
 isense.h, 35
 ISD_AUX_SYSTEM_MAGNETIC
 isense.h, 35
 ISD_AUX_SYSTEM_NONE
 isense.h, 35
 ISD_AUX_SYSTEM_OPTICAL
 isense.h, 35
 ISD_AUX_SYSTEM_RF
 isense.h, 35
 ISD_AUX_SYSTEM_TYPE
 isense.h, 35
 ISD_AUX_SYSTEM_ULTRASONIC
 isense.h, 35
 ISD_AuxOutput
 isense.c, 32
 isense.h, 37
 ISD_Boresight
 isense.c, 32
 isense.h, 37
 ISD_BORESIGHT_FN
 isense.c, 32
 ISD_BORESIGHT_REF_FN
 isense.c, 32
 ISD_BoresightReferenced
 isense.c, 32
 isense.h, 37
 ISD_CAMERA_DATA_FN
 isense.c, 32
 ISD_CAMERA_DATA_TYPE, 9
 Camera, 9
 ISD_CAMERA_ENCODER_DATA_TYPE, 10
 Aperture, 11
 ApertureEncoder, 11
 bReserved1, 11
 bReserved2, 11
 bReserved3, 11
 CovarianceOrientation, 11
 CovariancePosition, 11
 dwReserved1, 11
 dwReserved2, 11
 Focus, 11
 FocusEncoder, 11
 FOV, 11
 fReserved1, 11
 fReserved2, 11
 fReserved3, 11
 fReserved4, 11
 NodalPoint, 11

- Timecode, 11
- TimecodeUserBits, 11
- TrackingStatus, 11
- ZoomEncoder, 11
- ISD_CloseTracker
 - isense.c, 32
 - isense.h, 37
- ISD_COMM_INFO_FN
 - isense.c, 32
- ISD_COMMAND_FN
 - isense.c, 32
- ISD_CONFIG_FILE_FN
 - isense.c, 32
- ISD_ConfigSave
 - isense.c, 32
 - isense.h, 37
- ISD_ConfigureFromFile
 - isense.c, 32
 - isense.h, 37
- ISD_COUNT_FN
 - isense.c, 32
- ISD_DATA_FN
 - isense.c, 32
- ISD_DEFAULT_FRAME
 - isense.h, 35
- ISD_EULER
 - isense.h, 35
- ISD_FreeLib
 - isense.c, 32
- ISD_GET_HARDW_INFO_FN
 - isense.c, 32
- ISD_GET_TIME
 - isense.c, 32
- ISD_GetCameraData
 - isense.c, 32
 - isense.h, 37
- ISD_GetCommInfo
 - isense.c, 32
 - isense.h, 37
- ISD_GetStationConfig
 - isense.c, 32
 - isense.h, 37
- ISD_GetStationHardwareInfo
 - isense.c, 32
 - isense.h, 37
- ISD_GetSystemHardwareInfo
 - isense.c, 32
 - isense.h, 37
- ISD_GetTime
 - isense.c, 32
 - isense.h, 37
- ISD_GetTrackerConfig
 - isense.c, 32
 - isense.h, 37
- ISD_GetTrackingData
 - isense.c, 32
 - isense.h, 37
- ISD_HARDWARE_INFO_TYPE, 12
 - AuxSystem, 13
 - BaudRate, 13
 - bReserved1, 13
 - bReserved2, 13
 - bReserved3, 13
 - bReserved4, 13
 - Capability, 13
 - Compass, 13
 - CompassCal, 13
 - ConfigLock, 13
 - cReserved1, 13
 - cReserved2, 13
 - cReserved3, 13
 - cReserved4, 13
 - DiagData, 13
 - dwReserved1, 13
 - dwReserved2, 13
 - dwReserved3, 13
 - dwReserved4, 13
 - Encoders, 13
 - Enhancement, 13
 - ErrorLog, 13
 - FirmwareRev, 13
 - fReserved1, 13
 - fReserved2, 13
 - fReserved3, 13
 - fReserved4, 13
 - Interface, 13
 - MaxButtons, 13
 - MaxChannels, 13
 - MaxFPses, 13
 - MaxImus, 13
 - MaxStations, 13
 - MeasData, 13
 - ModelName, 13
 - NumTestLevels, 13
 - OnHost, 13
 - Orientation, 13
 - PhotoDiode, 13
 - Port, 13
 - Position, 13
 - Prediction, 13
 - PseConfig, 13
 - SelfTest, 13
 - TrackerModel, 13
 - TrackerType, 13
 - UltGain, 13
 - UltMaxRange, 13
 - UltTimeout, 13
 - UltVolume, 13
 - Valid, 13
- ISD_ICUBE2
 - isense.h, 36
- ISD_ICUBE2_PRO
 - isense.h, 36
- ISD_ICUBE2B_PRO
 - isense.h, 36
- ISD_ICUBE3
 - isense.h, 36
- ISD_ICUBE4
 - isense.h, 36
- ISD_IMUK
 - isense.h, 36
- ISD_INTERFACE_ETHERNET_TCP
 - isense.h, 35
- ISD_INTERFACE_ETHERNET_UDP
 - isense.h, 35
- ISD_INTERFACE_FILE
 - isense.h, 36
- ISD_INTERFACE_IOCARD
 - isense.h, 35
- ISD_INTERFACE_PCMCIA
 - isense.h, 36
- ISD_INTERFACE_SERIAL

isense.h, 35
 ISD_INTERFACE_TYPE
 isense.h, 35
 ISD_INTERFACE_UNKNOWN
 isense.h, 35
 ISD_INTERFACE_USB
 isense.h, 35
 ISD_INTERTRAX
 isense.h, 36
 ISD_INTERTRAX_2
 isense.h, 36
 ISD_INTERTRAX_3
 isense.h, 36
 ISD_INTERTRAX_LC
 isense.h, 36
 ISD_INTERTRAX_LS
 isense.h, 36
 ISD_INTERTRAX_SERIES
 isense.h, 36
 ISD_IS1200
 isense.h, 36
 ISD_IS300
 isense.h, 36
 ISD_IS600
 isense.h, 36
 ISD_IS900
 isense.h, 36
 ISD_LIB_NAME
 isense.c, 32
 ISD_LoadLib
 isense.c, 32
 ISD_MAX_AUX_INPUTS
 isense.h, 35
 ISD_MAX_AUX_OUTPUTS
 isense.h, 35
 ISD_MAX_BUTTONS
 isense.h, 35
 ISD_MAX_CHANNELS
 isense.h, 35
 ISD_MAX_STATIONS
 isense.h, 35
 ISD_MAX_TRACKERS
 isense.h, 35
 ISD_NONE
 isense.h, 36
 ISD_NumOpenTrackers
 isense.c, 32
 isense.h, 37
 ISD_OPEN_ALL_FN
 isense.c, 32
 ISD_OPEN_FN
 isense.c, 32
 ISD_OpenAllTrackers
 isense.c, 32
 isense.h, 37
 ISD_OpenTracker
 isense.c, 32
 isense.h, 37
 ISD_PRECISION_SERIES
 isense.h, 36
 ISD_QRY_RBUFFER_FN
 isense.c, 32
 ISD_QUATERNION
 isense.h, 35
 ISD_RBUFFER_FN
 isense.c, 32
 ISD_RESET_HEADING_FN
 isense.c, 32
 ISD_ResetHeading
 isense.c, 32
 isense.h, 37
 ISD_RingBufferQuery
 isense.c, 32
 isense.h, 37
 ISD_RingBufferSetup
 isense.c, 32
 isense.h, 37
 ISD_RingBufferStart
 isense.c, 32
 isense.h, 37
 ISD_RingBufferStop
 isense.c, 32
 isense.h, 37
 ISD_SCRIPT_FN
 isense.c, 32
 ISD_SendScript
 isense.c, 32
 isense.h, 37
 ISD_SET_RBUFFER_FN
 isense.c, 32
 ISD_SetStationConfig
 isense.c, 32
 isense.h, 37
 ISD_SetTrackerConfig
 isense.c, 32
 isense.h, 37
 ISD_STATION_CONFIG_FN
 isense.c, 32
 ISD_STATION_DATA_TYPE, 15
 AccelBodyFrame, 16
 AccelNavFrame, 16
 AnalogData, 16
 AngularVelBodyFrame, 16
 AngularVelNavFrame, 16
 AngularVelRaw, 16
 AuxInputs, 16
 BatteryLevel, 16
 BatteryState, 16
 ButtonState, 16
 CommIntegrity, 16
 CompassYaw, 16
 Euler, 16
 NewData, 16
 Position, 16
 Quaternion, 16
 Reserved, 16
 StillTime, 16
 TimeStamp, 16
 TrackingStatus, 16
 VelocityNavFrame, 16
 ISD_STATION_HARDWARE_INFO_TYPE, 17
 AuxInputs, 18
 AuxOutputs, 18
 bReserved1, 18
 bReserved2, 18
 bReserved3, 18
 bReserved4, 18
 CalDate, 18
 Capability, 18
 Compass, 18
 cReserved1, 18
 cReserved2, 18

- cReserved3, 18
- cReserved4, 18
- DescVersion, 18
- DeviceID, 18
- dwReserved1, 18
- dwReserved2, 18
- dwReserved3, 18
- dwReserved4, 18
- Encoders, 18
- FirmwareRev, 18
- fReserved1, 18
- fReserved2, 18
- fReserved3, 18
- fReserved4, 18
- ID, 18
- NumButtons, 18
- NumChannels, 18
- Orientation, 18
- Port, 18
- Position, 18
- SerialNum, 18
- Type, 18
- Valid, 18
- ISD_STATION_INFO_TYPE, 19
 - AccelSensitivity, 20
 - AngleFormat, 20
 - bReserved2, 20
 - bReserved4, 20
 - Compass, 20
 - CompassCompensation, 20
 - CoordFrame, 20
 - dwReserved3, 20
 - dwReserved4, 20
 - Enhancement, 20
 - fReserved4, 20
 - GetAuxInputs, 20
 - GetCameraData, 20
 - GetCovarianceData, 20
 - GetEncoderData, 20
 - GetInputs, 20
 - ID, 20
 - ImuShockSuppression, 20
 - InertiaCube, 20
 - Prediction, 20
 - Sensitivity, 20
 - State, 20
 - TimeStamped, 20
 - TipOffset, 20
 - UrmRejectionFactor, 20
- ISD_SYS_INFO_FN
 - isense.c, 32
- ISD_SYSTEM_CONFIG_FN
 - isense.c, 32
- ISD_SYSTEM_MODEL
 - isense.h, 36
- ISD_SYSTEM_TYPE
 - isense.h, 36
- ISD_TRACKER_HANDLE
 - isense.h, 35
- ISD_TRACKER_INFO_TYPE, 21
 - bReserved2, 22
 - bReserved3, 22
 - bReserved4, 22
 - dwReserved4, 22
 - FirmwareRev, 22
 - fReserved2, 22
 - fReserved3, 22
 - fReserved4, 22
 - Interface, 22
 - KBitsPerSec, 22
 - LedEnable, 22
 - LibVersion, 22
 - Port, 22
 - RecordsPerSec, 22
 - SyncPhase, 22
 - SyncRate, 22
 - SyncState, 22
 - TrackerModel, 22
 - TrackerType, 22
 - UltTimeout, 22
 - UltVolume, 22
- ISD_TRACKING_DATA_TYPE, 23
 - Station, 23
- ISD_UDP_BROADCAST_FN
 - isense.c, 32
- ISD_UdpBroadcastData
 - isense.c, 32
- ISD_UdpDataBroadcast
 - isense.h, 37
- ISD_UNKNOWN
 - isense.h, 36
- ISD_VSET_FRAME
 - isense.h, 35
- isense.c, 29
 - _ISD_AuxOutput, 32
 - _ISD_Boresight, 32
 - _ISD_BoresightReferenced, 32
 - _ISD_CloseTracker, 32
 - _ISD_ConfigSave, 32
 - _ISD_ConfigureFromFile, 32
 - _ISD_GetCameraData, 32
 - _ISD_GetCommInfo, 32
 - _ISD_GetStationConfig, 32
 - _ISD_GetStationHardwareInfo, 32
 - _ISD_GetSystemHardwareInfo, 32
 - _ISD_GetTime, 32
 - _ISD_GetTrackerConfig, 32
 - _ISD_GetTrackingData, 32
 - _ISD_NumOpenTrackers, 32
 - _ISD_OpenAllTrackers, 32
 - _ISD_OpenTracker, 32
 - _ISD_ResetHeading, 32
 - _ISD_RingBufferQuery, 32
 - _ISD_RingBufferSetup, 32
 - _ISD_RingBufferStart, 32
 - _ISD_RingBufferStop, 32
 - _ISD_SendScript, 32
 - _ISD_SetStationConfig, 32
 - _ISD_SetTrackerConfig, 32
 - _ISD_UdpBroadcastData, 32
- DLL, 32
 - dll_entrypoint, 32
 - dll_load, 32
 - dll_unload, 32
- hLib, 32
- ISD_AUX_OUTPUT_FN, 32
- ISD_AuxOutput, 32
- ISD_Boresight, 32
- ISD_BORESIGHT_FN, 32
- ISD_BORESIGHT_REF_FN, 32
- ISD_BoresightReferenced, 32
- ISD_CAMERA_DATA_FN, 32

ISD_CloseTracker, 32
 ISD_COMM_INFO_FN, 32
 ISD_COMMAND_FN, 32
 ISD_CONFIG_FILE_FN, 32
 ISD_ConfigSave, 32
 ISD_ConfigureFromFile, 32
 ISD_COUNT_FN, 32
 ISD_DATA_FN, 32
 ISD_FreeLib, 32
 ISD_GET_HARDW_INFO_FN, 32
 ISD_GET_TIME, 32
 ISD_GetCameraData, 32
 ISD_GetCommInfo, 32
 ISD_GetStationConfig, 32
 ISD_GetStationHardwareInfo, 32
 ISD_GetSystemHardwareInfo, 32
 ISD_GetTime, 32
 ISD_GetTrackerConfig, 32
 ISD_GetTrackingData, 32
 ISD_LIB_NAME, 32
 ISD_LoadLib, 32
 ISD_NumOpenTrackers, 32
 ISD_OPEN_ALL_FN, 32
 ISD_OPEN_FN, 32
 ISD_OpenAllTrackers, 32
 ISD_OpenTracker, 32
 ISD_QRY_RBUFFER_FN, 32
 ISD_RBUFFER_FN, 32
 ISD_RESET_HEADING_FN, 32
 ISD_ResetHeading, 32
 ISD_RingBufferQuery, 32
 ISD_RingBufferSetup, 32
 ISD_RingBufferStart, 32
 ISD_RingBufferStop, 32
 ISD_SCRIPT_FN, 32
 ISD_SendScript, 32
 ISD_SET_RBUFFER_FN, 32
 ISD_SetStationConfig, 32
 ISD_SetTrackerConfig, 32
 ISD_STATION_CONFIG_FN, 32
 ISD_SYS_INFO_FN, 32
 ISD_SYSTEM_CONFIG_FN, 32
 ISD_UDP_BROADCAST_FN, 32
 ISD_UdpBroadcastData, 32
 isense.h, 33
 DLL_EP, 35
 DLL_EP_PTR, 35
 DLENTY, 35
 DLLEXPORT, 35
 FALSE, 35
 ISD_AUX_SYSTEM_GPS, 35
 ISD_AUX_SYSTEM_MAGNETIC, 35
 ISD_AUX_SYSTEM_NONE, 35
 ISD_AUX_SYSTEM_OPTICAL, 35
 ISD_AUX_SYSTEM_RF, 35
 ISD_AUX_SYSTEM_TYPE, 35
 ISD_AUX_SYSTEM_ULTRASONIC, 35
 ISD_AuxOutput, 37
 ISD_Boresight, 37
 ISD_BoresightReferenced, 37
 ISD_CloseTracker, 37
 ISD_ConfigSave, 37
 ISD_ConfigureFromFile, 37
 ISD_DEFAULT_FRAME, 35
 ISD_EULER, 35
 ISD_GetCameraData, 37
 ISD_GetCommInfo, 37
 ISD_GetStationConfig, 37
 ISD_GetStationHardwareInfo, 37
 ISD_GetSystemHardwareInfo, 37
 ISD_GetTime, 37
 ISD_GetTrackerConfig, 37
 ISD_GetTrackingData, 37
 ISD_ICUBE2, 36
 ISD_ICUBE2_PRO, 36
 ISD_ICUBE2B_PRO, 36
 ISD_ICUBE3, 36
 ISD_ICUBE4, 36
 ISD_IMUK, 36
 ISD_INTERFACE_ETHERNET_TCP, 35
 ISD_INTERFACE_ETHERNET_UDP, 35
 ISD_INTERFACE_FILE, 36
 ISD_INTERFACE_IOCARD, 35
 ISD_INTERFACE_PCMCIA, 36
 ISD_INTERFACE_SERIAL, 35
 ISD_INTERFACE_TYPE, 35
 ISD_INTERFACE_UNKNOWN, 35
 ISD_INTERFACE_USB, 35
 ISD_INTERTRAX, 36
 ISD_INTERTRAX_2, 36
 ISD_INTERTRAX_3, 36
 ISD_INTERTRAX_LC, 36
 ISD_INTERTRAX_LS, 36
 ISD_INTERTRAX_SERIES, 36
 ISD_IS1200, 36
 ISD_IS300, 36
 ISD_IS600, 36
 ISD_IS900, 36
 ISD_MAX_AUX_INPUTS, 35
 ISD_MAX_AUX_OUTPUTS, 35
 ISD_MAX_BUTTONS, 35
 ISD_MAX_CHANNELS, 35
 ISD_MAX_STATIONS, 35
 ISD_MAX_TRACKERS, 35
 ISD_NONE, 36
 ISD_NumOpenTrackers, 37
 ISD_OpenAllTrackers, 37
 ISD_OpenTracker, 37
 ISD_PRECISION_SERIES, 36
 ISD_QUATERNION, 35
 ISD_ResetHeading, 37
 ISD_RingBufferQuery, 37
 ISD_RingBufferSetup, 37
 ISD_RingBufferStart, 37
 ISD_RingBufferStop, 37
 ISD_SendScript, 37
 ISD_SetStationConfig, 37
 ISD_SetTrackerConfig, 37
 ISD_SYSTEM_MODEL, 36
 ISD_SYSTEM_TYPE, 36
 ISD_TRACKER_HANDLE, 35
 ISD_UdpDataBroadcast, 37
 ISD_UNKNOWN, 36
 ISD_VSET_FRAME, 35
 TRUE, 35
- K -
 KBitsPerSec

ISD_TRACKER_INFO_TYPE, 22

- L -

LedEnable

ISD_TRACKER_INFO_TYPE, 22

LibVersion

ISD_TRACKER_INFO_TYPE, 22

LONG

types.h, 41

- M -

mainpage.h, 38

MaxButtons

ISD_HARDWARE_INFO_TYPE, 13

MaxChannels

ISD_HARDWARE_INFO_TYPE, 13

MaxFPses

ISD_HARDWARE_INFO_TYPE, 13

MaxImus

ISD_HARDWARE_INFO_TYPE, 13

MaxStations

ISD_HARDWARE_INFO_TYPE, 13

MeasData

ISD_HARDWARE_INFO_TYPE, 13

ModelName

ISD_HARDWARE_INFO_TYPE, 13

- N -

NewData

ISD_STATION_DATA_TYPE, 16

NodalPoint

ISD_CAMERA_ENCODER_DATA_TYPE, 11

NumButtons

ISD_STATION_HARDWARE_INFO_TYPE, 18

NumChannels

ISD_STATION_HARDWARE_INFO_TYPE, 18

NumTestLevels

ISD_HARDWARE_INFO_TYPE, 13

- O -

OnHost

ISD_HARDWARE_INFO_TYPE, 13

Orientation

ISD_HARDWARE_INFO_TYPE, 13

ISD_STATION_HARDWARE_INFO_TYPE, 18

- P -

PhotoDiode

ISD_HARDWARE_INFO_TYPE, 13

Poll

dtInputSense::Tracker, 24

PollInstances

dtInputSense::Tracker, 24

Port

ISD_HARDWARE_INFO_TYPE, 13

ISD_STATION_HARDWARE_INFO_TYPE, 18

ISD_TRACKER_INFO_TYPE, 22

Position

ISD_HARDWARE_INFO_TYPE, 13

ISD_STATION_DATA_TYPE, 16

ISD_STATION_HARDWARE_INFO_TYPE, 18

Prediction

ISD_HARDWARE_INFO_TYPE, 13

ISD_STATION_INFO_TYPE, 20

PseConfig

ISD_HARDWARE_INFO_TYPE, 13

- Q -

Quaternion

ISD_STATION_DATA_TYPE, 16

- R -

RecordsPerSec

ISD_TRACKER_INFO_TYPE, 22

Reserved

ISD_STATION_DATA_TYPE, 16

RTL_D_GLOBAL

dlcompat.h, 27

RTL_D_LAZY

dlcompat.h, 27

RTL_D_LAZY_UNDEF

dlcompat.h, 27

RTL_D_LOCAL

dlcompat.h, 27

RTL_D_NODELETE

dlcompat.h, 27

RTL_D_NOLOAD

dlcompat.h, 27

RTL_D_NOW

dlcompat.h, 27

RTL_D_SHARED

dlcompat.h, 27

RTL_D_UNSHARED

dlcompat.h, 27

- S -

SelfTest

ISD_HARDWARE_INFO_TYPE, 13

Sensitivity

ISD_STATION_INFO_TYPE, 20

SerialNum

ISD_STATION_HARDWARE_INFO_TYPE, 18

src/ Directory Reference, 6

src/dtInputSense/ Directory Reference, 4

State

ISD_STATION_INFO_TYPE, 20

Station

ISD_TRACKING_DATA_TYPE, 23

StillTime

ISD_STATION_DATA_TYPE, 16

SyncPhase

ISD_TRACKER_INFO_TYPE, 22

SyncRate

ISD_TRACKER_INFO_TYPE, 22

SyncState

ISD_TRACKER_INFO_TYPE, 22

- T -

Timecode

ISD_CAMERA_ENCODER_DATA_TYPE, 11

TimecodeUserBits

ISD_CAMERA_ENCODER_DATA_TYPE, 11

TimeStamp

ISD_STATION_DATA_TYPE, 16

TimeStamped

ISD_STATION_INFO_TYPE, 20

TipOffset

ISD_STATION_INFO_TYPE, 20

tracker.cpp, 39

tracker.h, 40

TrackerModel
 ISD_HARDWARE_INFO_TYPE, 13
 ISD_TRACKER_INFO_TYPE, 22

TrackerType
 ISD_HARDWARE_INFO_TYPE, 13
 ISD_TRACKER_INFO_TYPE, 22

TrackingStatus
 ISD_CAMERA_ENCODER_DATA_TYPE, 11
 ISD_STATION_DATA_TYPE, 16

TRUE
 isense.h, 35

Type
 ISD_STATION_HARDWARE_INFO_TYPE, 18

types.h, 41
 Bool, 41
 BYTE, 41
 DWORD, 41
 Hwnd, 41
 LONG, 41
 WORD, 41

- U -

UltGain
 ISD_HARDWARE_INFO_TYPE, 13

UltMaxRange
 ISD_HARDWARE_INFO_TYPE, 13

UltTimeout
 ISD_HARDWARE_INFO_TYPE, 13
 ISD_TRACKER_INFO_TYPE, 22

UltVolume
 ISD_HARDWARE_INFO_TYPE, 13
 ISD_TRACKER_INFO_TYPE, 22

UrmRejectionFactor
 ISD_STATION_INFO_TYPE, 20

- V -

Valid
 ISD_HARDWARE_INFO_TYPE, 13
 ISD_STATION_HARDWARE_INFO_TYPE, 18

VelocityNavFrame
 ISD_STATION_DATA_TYPE, 16

- W -

WORD
 types.h, 41

- Z -

ZoomEncoder
 ISD_CAMERA_ENCODER_DATA_TYPE, 11